

# **Syntax: Meta-Programming Helpers**

Version 5.0

June 6, 2010

# Contents

<b>1</b>	<b>Syntax Object Helpers</b>	<b>5</b>
1.1	Deconstructing Syntax Objects . . . . .	5
1.2	Matching Fully-Expanded Expressions . . . . .	6
1.3	Hashing on <code>bound-identifier=?</code> and <code>free-identifier=?</code> . . . . .	7
1.4	Identifier dictionaries . . . . .	10
1.4.1	Dictionaries for <code>bound-identifier=?</code> . . . . .	10
1.4.2	Dictionaries for <code>free-identifier=?</code> . . . . .	12
1.5	Rendering Syntax Objects with Formatting . . . . .	13
1.6	Computing the Free Variables of an Expression . . . . .	13
1.7	Replacing Lexical Context . . . . .	14
1.8	Helpers for Processing Keyword Syntax . . . . .	14
1.9	Legacy Zodiac Interface . . . . .	19
<b>2</b>	<b>Module-Processing Helpers</b>	<b>21</b>
2.1	Reading Module Source Code . . . . .	21
2.2	Getting Module Compiled Code . . . . .	21
2.3	Resolving Module Paths to File Paths . . . . .	23
2.4	Simplifying Module Paths . . . . .	24
2.5	Inspecting Modules and Module Dependencies . . . . .	25
<b>3</b>	<b>Macro Transformer Helpers</b>	<b>26</b>
3.1	Extracting Inferred Names . . . . .	26
3.2	Support for <code>local-expand</code> . . . . .	26
3.3	Parsing <code>define</code> -like Forms . . . . .	26
3.4	Flattening <code>begin</code> Forms . . . . .	27

3.5	Expanding <code>define-struct</code> -like Forms . . . . .	27
3.6	Resolving <code>include</code> -like Paths . . . . .	31
3.7	Controlling Syntax Templates . . . . .	31
<b>4</b>	<b>Reader Helpers</b>	<b>34</b>
4.1	Raising <code>exn:fail:read</code> . . . . .	34
4.2	Module Reader . . . . .	35
<b>5</b>	<b>Non-Module Compilation And Expansion</b>	<b>42</b>
<b>6</b>	<b>Trusting Standard Recertifying Transformers</b>	<b>44</b>
<b>7</b>	<b>Attaching Documentation to Exports</b>	<b>45</b>
<b>8</b>	<b>Parsing and classifying syntax</b>	<b>47</b>
8.1	Quick Start . . . . .	47
8.2	Parsing and classifying syntax . . . . .	50
8.2.1	Parsing syntax . . . . .	51
8.2.2	Classifying syntax . . . . .	53
8.2.3	Pattern directives . . . . .	55
8.2.4	Pattern variables and attributes . . . . .	57
8.2.5	Inspection tools . . . . .	58
8.3	Syntax patterns . . . . .	59
8.3.1	Single-term patterns . . . . .	61
8.3.2	Head patterns . . . . .	69
8.3.3	Ellipsis-head patterns . . . . .	71
8.3.4	Action patterns . . . . .	73
8.4	Literal sets and Conventions . . . . .	75

8.5	Library syntax classes and literal sets . . . . .	77
8.5.1	Syntax classes . . . . .	77
8.5.2	Literal sets . . . . .	78
	<b>Index</b>	<b>79</b>

# 1 Syntax Object Helpers

## 1.1 Deconstructing Syntax Objects

```
(require syntax/stx)
```

---

```
(stx-null? v) → boolean?  
v : any/c
```

Returns #t if *v* is either the empty list or a syntax object representing the empty list (i.e., `syntax-e` on the syntax object returns the empty list).

---

```
(stx-pair? v) → boolean?  
v : any/c
```

Returns #t if *v* is either a pair or a syntax object representing a pair (see `syntax-pair`).

---

```
(stx-list? v) → boolean?  
v : any/c
```

Returns #t if *v* is a list, or if it is a sequence of pairs leading to a syntax object such that `syntax->list` would produce a list.

---

```
(stx->list stx-list) → list?  
stx-list : stx-list?
```

Produces a list by flattening out a trailing syntax object using `syntax->list`.

---

```
(stx-car v) → any  
v : stx-pair?
```

Takes the car of a syntax pair.

---

```
(stx-cdr v) → any  
v : stx-pair?
```

Takes the cdr of a syntax pair.

---

```
(module-or-top-identifier=? a-id b-id) → boolean?  
a-id : identifier?
```

```
b-id : identifier?
```

Returns `#t` if *a-id* and *b-id* are `free-identifier=?`, or if *a-id* and *b-id* have the same name (as extracted by `syntax-e`) and *a-id* has no binding other than at the top level.

This procedure is useful in conjunction with `syntax-case*` to match procedure names that are normally bound by Racket. For example, the `include` macro uses this procedure to recognize `build-path`; using `free-identifier=?` would not work well outside of module, since the top-level `build-path` is a distinct variable from the `racket/base` export (though it's bound to the same procedure, initially).

## 1.2 Matching Fully-Expanded Expressions

```
(require syntax/kerncase)
```

---

```
(kernel-syntax-case stx-expr trans?-expr clause ...)
```

A syntactic form like `syntax-case*`, except that the literals are built-in as the names of the primitive Racket forms as exported by `scheme/base`; see §1.2.3.1 “Fully Expanded Programs”.

The `trans?-expr` boolean expression replaces the comparison procedure, and instead selects simply between normal-phase comparisons or transformer-phase comparisons. The `clauses` are the same as in `syntax-case*`.

The primitive syntactic forms must have their normal bindings in the context of the `kernel-syntax-case` expression. Beware that `kernel-syntax-case` does not work in a module whose language is `mzscheme`, since the binding of `if` from `mzscheme` is different than the primitive `if`.

---

```
(kernel-syntax-case* stx-expr trans?-expr (extra-id ...) clause ...)
```

A syntactic form like `kernel-syntax-case`, except that it takes an additional list of extra literals that are in addition to the primitive Racket forms.

---

```
(kernel-syntax-case/phase stx-expr phase-expr clause ...)
```

Generalizes `kernel-syntax-case` to work at an arbitrary phase level, as indicated by `phase-expr`.

---

```
(kernel-syntax-case*/phase stx-expr phase-expr (extra-id ..)  
  clause ...)
```

Generalizes `kernel-syntax-case*` to work at an arbitrary phase level, as indicated by `phase-expr`.

---

```
(kernel-form-identifier-list) → (listof identifier?)
```

Returns a list of identifiers that are bound normally, `for-syntax`, and `for-template` to the primitive Racket forms for expressions, internal-definition positions, and module-level and top-level positions. This function is useful for generating a list of stopping points to provide to `local-expand`.

In addition to the identifiers listed in §1.2.3.1 “Fully Expanded Programs”, the list includes `letrec-syntaxes+values`, which is the core form for local expand-time binding and can appear in the result of `local-expand`.

### 1.3 Hashing on `bound-identifier=?` and `free-identifier=?`

See also `syntax/id-table` for an implementation of identifier mappings using the `scheme/dict` dictionary interface.

```
(require syntax/boundmap)
```

---

```
(make-bound-identifier-mapping) → bound-identifier-mapping?
```

Produces a hash-table-like value for storing a mapping from syntax identifiers to arbitrary values.

The mapping uses `bound-identifier=?` to compare mapping keys, but also uses a hash table based on symbol equality to make the mapping efficient in the common case (i.e., where non-equivalent identifiers are derived from different symbolic names).

---

```
(bound-identifier-mapping? v) → boolean?  
v : any/c
```

Returns `#t` if `v` was produced by `make-bound-identifier-mapping`, `#f` otherwise.

---

```
(bound-identifier-mapping-get bound-map  
                             id  
                             [failure-thunk]) → any  
bound-map : bound-identifier-mapping?  
id : identifier?  
failure-thunk : any/c  
= (lambda () (raise (make-exn:fail ...)))
```

Like `hash-table-get` for bound-identifier mappings.

---

```
(bound-identifier-mapping-put! bound-map
                               id
                               v)    → void?

bound-map : bound-identifier-mapping?
id : identifier?
v : any/c
```

Like `hash-table-put!` for bound-identifier mappings.

---

```
(bound-identifier-mapping-for-each bound-map
                                   proc)    → void?

bound-map : bound-identifier-mapping?
proc : (identifier? any/c . -> . any)
```

Like `hash-table-for-each`.

---

```
(bound-identifier-mapping-map bound-map
                              proc)    → (listof any?)

bound-map : bound-identifier-mapping?
proc : (identifier? any/c . -> . any)
```

Like `hash-table-map`.

---

```
(make-free-identifier-mapping) → free-identifier-mapping?
```

Produces a hash-table-like value for storing a mapping from syntax identifiers to arbitrary values.

The mapping uses `free-identifier=?` to compare mapping keys, but also uses a hash table based on symbol equality to make the mapping efficient in the common case (i.e., where non-equivalent identifiers are derived from different symbolic names at their definition sites).

---

```
(free-identifier-mapping? v) → boolean?
v : any/c
```

Returns `#t` if `v` was produced by `make-free-identifier-mapping`, `#f` otherwise.

---

```
(free-identifier-mapping-get free-map
                             id
                             [failure-thunk]) → any
```



```
free-map : free-identifier-mapping?
id : identifier?
failure-thunk : any/c
              = (lambda () (raise (make-exn:fail ...)))
```

Like hash-table-get for free-identifier mappings.

---

```
(free-identifier-mapping-put! free-map id v) → void?
free-map : free-identifier-mapping?
id : identifier?
v : any/c
```

Like hash-table-put! for free-identifier mappings.

---

```
(free-identifier-mapping-for-each free-map
                                proc) → void?
free-map : free-identifier-mapping?
proc : (identifier? any/c . -> . any)
```

Like hash-table-for-each.

---

```
(free-identifier-mapping-map free-map proc) → (listof any?)
free-map : free-identifier-mapping?
proc : (identifier? any/c . -> . any)
```

Like hash-table-map.

---

```
(make-module-identifier-mapping) → module-identifier-mapping?
(module-identifier-mapping? v) → boolean?
v : any/c
(module-identifier-mapping-get module-map
                              id
                              [failure-thunk]) → any
module-map : module-identifier-mapping?
id : identifier?
failure-thunk : any/c
              = (lambda () (raise (make-exn:fail ...)))
(module-identifier-mapping-put! module-map
                              id
                              v) → void?
module-map : module-identifier-mapping?
id : identifier?
v : any/c
```

```

(module-identifier-mapping-for-each module-map
  proc) → void?
  module-map : module-identifier-mapping?
  proc : (identifier? any/c . -> . any)
(module-identifier-mapping-map module-map
  proc) → (listof any?)
  module-map : module-identifier-mapping?
  proc : (identifier? any/c . -> . any)

```

The same as `make-free-identifier-mapping`, etc.

## 1.4 Identifier dictionaries

```
(require syntax/id-table)
```

This module provides functionality like that of `syntax/boundmap` but with more operations, standard names, implementation of the `scheme/dict` interface, and immutable (functionally-updating) variants.

### 1.4.1 Dictionaries for `bound-identifier=?`

Bound-identifier tables implement the dictionary interface of `scheme/dict`. Consequently, all of the appropriate generic functions (`dict-ref`, `dict-map`, etc) can be used on free-identifier tables.

---

```

(make-bound-id-table [init-dict]) → mutable-bound-id-table?
  init-dict : dict? = null
(make-immutable-bound-id-table [init-dict])
→ immutable-bound-id-table?
  init-dict : dict? = null

```

Produces a dictionary mapping syntax identifiers to arbitrary values. The mapping uses `bound-identifier=?` to compare keys, but also uses a hash table based on symbol equality to make the mapping efficient in the common case. The two procedures produce mutable and immutable dictionaries, respectively.

The optional `init-dict` argument provides the initial mappings. It must be a dictionary, and its keys must all be identifiers. If the `init-dict` dictionary has multiple distinct entries whose keys are `bound-identifier=?`, only one of the entries appears in the new id-table, and it is not specified which entry is picked.

---

```
(bound-id-table? v) → boolean?
```

`v : any/c`

Returns `#t` if `v` was produced by `make-bound-id-table` or `make-immutable-bound-id-table`, `#f` otherwise.

---

```
(mutable-bound-id-table? v) → boolean?  
  v : any/c  
(immutable-bound-id-table? v) → boolean?  
  v : any/c
```

Predicate for the mutable and immutable variants of bound-identifier tables, respectively.

---

```
(bound-id-table-ref table id [failure]) → any  
  table : bound-id-table?  
  id : identifier?  
  failure : any/c = (lambda () (raise (make-exn:fail ....)))
```

Like `hash-ref` for bound identifier tables. In particular, if `id` is not found, the `failure` argument is applied if it is a procedure, or simply returned otherwise.

---

```
(bound-id-table-set! table id v) → void?  
  table : mutable-bound-id-table?  
  id : identifier?  
  v : any/c
```

Like `hash-set!` for mutable bound-identifier tables.

---

```
(bound-id-table-set table id v) → immutable-bound-id-table?  
  table : immutable-bound-id-table?  
  id : identifier?  
  v : any/c
```

Like `hash-set` for immutable bound-identifier tables.

---

```
(bound-id-table-remove! table id) → void?  
  table : mutable-bound-id-table?  
  id : identifier?
```

Like `hash-remove!` for mutable bound-identifier tables.

---

```
(bound-id-table-remove table id v) → immutable-bound-id-table?  
  table : immutable-bound-id-table?  
  id : identifier?
```

`v : any/c`

Like `hash-remove` for immutable bound-identifier tables.

---

```
(bound-id-table-map table proc) → list?  
  table : bound-id-table?  
  proc : (-> identifier? any/c any)
```

Like `hash-map` for bound-identifier tables.

---

```
(bound-id-table-for-each table proc) → void?  
  table : bound-id-table?  
  proc : (-> identifier? any/c any)
```

Like `hash-for-each` for bound-identifier tables.

---

```
(bound-id-table-count table) → exact-nonnegative-integer?  
  table : bound-id-table?
```

Like `hash-count` for bound-identifier tables.

#### 1.4.2 Dictionaries for `free-identifier=?`

Free-identifier tables implement the dictionary interface of `scheme/dict`. Consequently, all of the appropriate generic functions (`dict-ref`, `dict-map`, etc) can be used on free-identifier tables.

---

```
(make-free-id-table [init-dict]) → mutable-free-id-table?  
  init-dict : dict? = null  
(make-immutable-free-id-table [init-dict])  
  → immutable-free-id-table?  
  init-dict : dict? = null  
(free-id-table? v) → boolean?  
  v : any/c  
(mutable-free-id-table? v) → boolean?  
  v : any/c  
(immutable-free-id-table? v) → boolean?  
  v : any/c  
(free-id-table-ref table id [failure]) → any  
  table : free-id-table?  
  id : identifier?  
  failure : any/c = (lambda () (raise (make-exn:fail .....)))
```

```

(free-id-table-set! table id v) → void?
  table : mutable-free-id-table?
  id : identifier?
  v : any/c
(free-id-table-set table id v) → immutable-free-id-table?
  table : immutable-free-id-table?
  id : identifier?
  v : any/c
(free-id-table-remove! table id) → void?
  table : mutable-free-id-table?
  id : identifier?
(free-id-table-remove table id v) → immutable-free-id-table?
  table : immutable-free-id-table?
  id : identifier?
  v : any/c
(free-id-table-map table proc) → list?
  table : free-id-table?
  proc : (-> identifier? any/c any)
(free-id-table-for-each table proc) → void?
  table : free-id-table?
  proc : (-> identifier? any/c any)
(free-id-table-count table) → exact-nonnegative-integer?
  table : free-id-table?

```

Like the procedures for bound-identifier tables (`make-bound-id-table`, `bound-id-table-ref`, etc), but for free-identifier tables, which use `free-identifier=?` to compare keys.

## 1.5 Rendering Syntax Objects with Formatting

```
(require syntax/to-string)
```

---

```
(syntax->string stx-list) → string?
  stx-list : stx-list?
```

Builds a string with newlines and indenting according to the source locations in `stx-list`; the outer pair of parens are not rendered from `stx-list`.

## 1.6 Computing the Free Variables of an Expression

```
(require syntax/free-vars)
```

---

```
(free-vars expr-stx) → (listof identifier?)  
  expr-stx : syntax?
```

Returns a list of free lambda- and let-bound identifiers in *expr-stx*. The expression must be fully expanded (see §1.2.3.1 “Fully Expanded Programs” and `expand`).

## 1.7 Replacing Lexical Context

```
(require syntax/strip-context)
```

---

```
(strip-context stx) → syntax?  
  stx : syntax?
```

Removes all lexical context from *stx*, preserving source-location information and properties.

---

```
(replace-context ctx-stx stx) → syntax?  
  ctx-stx : (or/c syntax? #f)  
  stx : syntax?
```

Uses the lexical context of *ctx-stx* to replace the lexical context of all parts of *stx*, preserving source-location information and properties of *stx*.

## 1.8 Helpers for Processing Keyword Syntax

The `syntax/keyword` module contains procedures for parsing keyword options in macros.

```
(require syntax/keyword)  
  
keyword-table = (dict-of keyword (listof check-procedure))
```

A keyword-table is a dictionary (`dict?`) mapping keywords to lists of check-procedures. (Note that an association list is a suitable dictionary.) The keyword’s arity is the length of the list of procedures.

Example:

```
> (define my-keyword-table  
   (list (list '#:a check-identifier)  
         (list '#:b check-expression check-expression)))  
  
check-procedure = (syntax syntax -> any)
```

A check procedure consumes the syntax to check and a context syntax object for error reporting and either raises an error to reject the syntax or returns a value as its parsed representation.

Example:

```
> (define (check-stx-string stx context-stx)
  (unless (string? (syntax-e stx))
    (raise-syntax-error #f "expected string" context-stx stx))
  stx)

options = (listof (list keyword syntax-keyword any ...))
```

Parsed options are represented as an list of option entries. Each entry contains the keyword, the syntax of the keyword (for error reporting), and the list of parsed values returned by the keyword's list of check procedures. The list contains the parsed options in the order they appeared in the input, and a keyword that occurs multiple times in the input occurs multiple times in the options list.

---

```
(parse-keyword-options stx
  table
  [#:context ctx
   #:no-duplicates? no-duplicates?
   #:incompatible incompatible
   #:on-incompatible incompatible-handler
   #:on-too-short too-short-handler
   #:on-not-in-table not-in-table-handler])

→ options any/c
stx : syntax?
table : keyword-table
ctx : (or/c false/c syntax?) = #f
no-duplicates? : boolean? = #f
incompatible : (listof (listof keyword?)) = '()
incompatible-handler : (-> keyword? keyword?
  options syntax? syntax?
  (values options syntax?))
= (lambda (...) (error ...))
too-short-handler : (-> keyword? options syntax? syntax?
  (values options syntax?))
= (lambda (...) (error ...))
not-in-table-handler : (-> keyword? options syntax? syntax?
  (values options syntax?))
= (lambda (...) (error ...))
```

Parses the keyword options in the syntax *stx* (*stx* may be an improper syntax list). The keyword options are described in the *table* association list. Each entry in *table* should be a list whose first element is a keyword and whose subsequent elements are procedures for

checking the arguments following the keyword. The keyword's arity (number of arguments) is determined by the number of procedures in the entry. Only fixed-arity keywords are supported.

Parsing stops normally when the syntax list does not have a keyword at its head (it may be empty, start with a non-keyword term, or it may be a non-list syntax object). Two values are returned: the parsed options and the rest of the syntax (generally either a syntax object or a list of syntax objects).

A variety of errors and exceptional conditions can occur during the parsing process. The following keyword arguments determine the behavior in those situations.

The `#:context ctx` argument is used to report all errors in parsing syntax. In addition, `ctx` is passed as the final argument to all provided handler procedures. Macros using `parse-keyword-options` should generally pass the syntax object for the whole macro use as `ctx`.

If `no-duplicates?` is a non-false value, then duplicate keyword options are not allowed. If a duplicate is seen, the keyword's associated check procedures are not called and an incompatibility is reported.

The `incompatible` argument is a list of incompatibility entries, where each entry is a list of *at least two* keywords. If any keyword in the entry occurs after any other keyword in the entry, an incompatibility is reported.

Note that including a keyword in an incompatibility entry does not prevent it from occurring multiple times. To disallow duplicates of some keywords (as opposed to all keywords), include those keywords in the `incompatible` list as being incompatible with themselves. That is, include them twice:

```
; Disallow duplicates of only the #:foo keyword
(parse-keyword-options .... #:incompatible '((#:foo #:foo)))
```

When an *incompatibility* occurs, the `incompatible-handler` is tail-called with the two keywords causing the incompatibility (in the order that they occurred in the syntax list, so the keyword triggering the incompatibility occurs second), the syntax list starting with the occurrence of the second keyword, and the context (`ctx`). If the incompatibility is due to a duplicate, the two keywords are the same.

When a keyword is not followed by enough arguments according to its arity in `table`, the `too-short-handler` is tail-called with the keyword, the options parsed thus far, the syntax list starting with the occurrence of the keyword, and `ctx`.

When a keyword occurs in the syntax list that is not in `table`, the `not-in-table-handler` is tail-called with the keyword, the options parsed thus far, the syntax list starting with the occurrence of the keyword, and `ctx`.



Handlers typically escape—all of the default handlers raise errors—but if they return, they should return two values: the parsed options and a syntax object; these are returned as the results of `parse-keyword-options`.

Examples:

```
> (parse-keyword-options
   #'( #:transparent #:property p (lambda (x) (f x)))
   (list (list ' #:transparent)
         (list ' #:inspector check-expression)
         (list ' #:property check-expression check-expression)))
'(( #:transparent #<syntax:3:0 #:transparent>) ( #:property
#<syntax:3:0 #:property> #<syntax:3:0 p> #<syntax:3:0 (lambda (x)
(f x))>))
'()
> (parse-keyword-options
   #'( #:transparent #:inspector (make-inspector))
   (list (list ' #:transparent)
         (list ' #:inspector check-expression)
         (list ' #:property check-expression check-expression))
   #:context #'define-struct
   #:incompatible '( #:transparent #:inspector)
                  ( #:inspector #:inspector)
                  ( #:inspector #:inspector)))
```

*eval:4:0: define-struct: #:inspector option not allowed  
after #:transparent option at: #:inspector in: define-struct*

---

```
(parse-keyword-options/eol
 stx
 table
 [ #:context ctx
   #:no-duplicates? no-duplicates?
   #:incompatible incompatible
   #:on-incompatible incompatible-handler
   #:on-too-short too-short-handler
   #:on-not-in-table not-in-table-handler
   #:on-not-eol not-eol-handler])
→ options
stx : syntax?
table : keyword-table
ctx : (or/c false/c syntax?) = #f
no-duplicates? : boolean? = #f
incompatible : (listof (list keyword? keyword?)) = '()
```

```

incompatible-handler : (-> keyword? keyword?
                        options syntax? syntax?
                        (values options syntax?))
                      = (lambda (...) (error ...))
too-short-handler : (-> keyword? options syntax? syntax?
                    (values options syntax?))
                    = (lambda (...) (error ...))
not-in-table-handler : (-> keyword? options syntax? syntax?
                       (values options syntax?))
                       = (lambda (...) (error ...))
not-eol-handler : (-> options syntax? syntax?
                  options)
                  = (lambda (...) (error ...))

```

Like `parse-keyword-options`, but checks that there are no terms left over after parsing all of the keyword options. If there are, `not-eol-handler` is tail-called with the options parsed thus far, the leftover syntax, and `ctx`.

---

```

(options-select options keyword) → (listof list?)
  options : options
  keyword : keyword?

```

Selects the values associated with one keyword from the parsed options. The resulting list has as many items as there were occurrences of the keyword, and each element is a list whose length is the arity of the keyword.

---

```

(options-select-row options
                  keyword
                  #:default default) → any
  options : options
  keyword : keyword?
  default : any/c

```

Like `options-select`, except that the given keyword must occur either zero or one times in `options`. If the keyword occurs, the associated list of parsed argument values is returned. Otherwise, the `default` list is returned.

---

```

(options-select-value options
                    keyword
                    #:default default) → any
  options : options
  keyword : keyword?
  default : any/c

```

Like `options-select`, except that the given keyword must occur either zero or one times in `options`. If the keyword occurs, the associated list of parsed argument values must have exactly one element, and that element is returned. If the keyword does not occur in `options`, the `default` value is returned.

---

```
(check-identifier stx ctx) → identifier?  
  stx : syntax?  
  ctx : (or/c false/c syntax?)
```

A check-procedure that accepts only identifiers.

---

```
(check-expression stx ctx) → syntax?  
  stx : syntax?  
  ctx : (or/c false/c syntax?)
```

A check-procedure that accepts any non-keyword term. It does not actually check that the term is a valid expression.

---

```
((check-stx-listof check) stx ctx) → (listof any/c)  
  check : check-procedure  
  stx : syntax?  
  ctx : (or/c false/c syntax?)
```

Lifts a check-procedure to accept syntax lists of whatever the original procedure accepted.

---

```
(check-stx-string stx ctx) → syntax?  
  stx : syntax?  
  ctx : (or/c false/c syntax?)
```

A check-procedure that accepts syntax strings.

---

```
(check-stx-boolean stx ctx) → syntax?  
  stx : syntax?  
  ctx : (or/c false/c syntax?)
```

A check-procedure that accepts syntax booleans.

## 1.9 Legacy Zodiac Interface

```
(require syntax/zodiac)  
(require syntax/zodiac-unit)
```

```
(require syntax/zodiac-sig)
```

The interface is similar to Zodiac—enough to be useful for porting—but different in many ways. See the source "`zodiac-sig.ss`" for details. New software should not use this compatibility layer.

## 2 Module-Processing Helpers

### 2.1 Reading Module Source Code

```
(require syntax/modread)
```

---

```
(with-module-reading-parameterization thunk) → any  
  thunk : (-> any)
```

Calls *thunk* with all reader parameters reset to their default values.

---

```
(check-module-form stx  
                  expected-module-sym  
                  source-v)  
→ (or/c syntax? false/c)  
  stx : (or/c syntax? eof-object?)  
  expected-module-sym : symbol?  
  source-v : (or/c string? false/c)
```

Inspects *stx* to check whether evaluating it will declare a module—at least if module is bound in the top-level to Racket’s module. The syntax object *stx* can contain a compiled expression. Also, *stx* can be an end-of-file, on the grounds that `read-syntax` can produce an end-of-file.

The *expected-module-sym* argument is currently ignored. In previous versions, the module form *stx* was obliged to declare a module whose name matched *expected-module-sym*.

If *stx* can declare a module in an appropriate top-level, then the `check-module-form` procedure returns a syntax object that certainly will declare a module (adding explicit context to the leading module if necessary) in any top-level. Otherwise, if *source-v* is not `#f`, a suitable exception is raised using the `write` form of the source in the message; if *source-v* is `#f`, `#f` is returned.

If *stx* is eof or eof wrapped as a syntax object, then an error is raised or `#f` is returned.

### 2.2 Getting Module Compiled Code

```
(require syntax/modcode)
```

---

```

(get-module-code module-path-v
  [#:sub-path compiled-subdir0
   compiled-subdir
   #:compile compile-proc0
   compile-proc
   #:extension-handler ext-proc0
   ext-proc
   #:choose choose-proc
   #:notify notify-proc
   #:src-reader read-syntax-proc]) → any
module-path-v : module-path?
compiled-subdir0 : (and/c path-string? relative-path?)
                  = "compiled"
compiled-subdir : (and/c path-string? relative-path?)
                  = compiled-subdir0
compile-proc0 : (any/c . -> . any) = compile
compile-proc : (any/c . -> . any) = compile-proc0
ext-proc0 : (or/c false/c (path? boolean? . -> . any)) = #f
ext-proc : (or/c false/c (path? boolean? . -> . any))
           = ext-proc0
choose-proc : (path? path? path?
              . -> .
              (or/c (symbols 'src 'zo 'so) false/c))
             = (lambda (src zo so) #f)
notify-proc : (any/c . -> . any) = void
read-syntax-proc : (any/c input-port? . -> . syntax?)
                  = read-syntax

```

Returns a compiled expression for the declaration of the module specified by *module-path-v*.

The *compiled-subdir* argument defaults to "compiled"; it specifies the sub-directory to search for a compiled version of the module.

The *compile-proc* argument defaults to *compile*. This procedure is used to compile module source if an already-compiled version is not available.

The *ext-proc* argument defaults to *#f*. If it is not *#f*, it must be a procedure of two arguments that is called when a native-code version of *path* is should be used. In that case, the arguments to *ext-proc* are the path for the extension, and a boolean indicating whether the extension is a *\_loader* file (*#t*) or not (*#f*).

The *choose-proc* argument is a procedure that takes three paths: a source path, a ".zo" file path, and an extension path (for a non-*\_loader* extension). Some of the paths may not exist. The result should be either *'src*, *'zo*, *'so*, or *#f*, indicating which variant should be

used or (in the case of `#f`) that the default choice should be used.

The default choice is computed as follows: if a `".zo"` version of `path` is available and newer than `path` itself (in one of the directories specified by `compiled-subdir`), then it is used instead of the source. Native-code versions of `path` are ignored, unless only a native-code non-`_loader` version exists (i.e., `path` itself does not exist). A `_loader` extension is selected a last resort.

If an extension is preferred or is the only file that exists, it is supplied to `ext-proc` when `ext-proc` is `#f`, or an exception is raised (to report that an extension file cannot be used) when `ext-proc` is `#f`.

If `notify-proc` is supplied, it is called for the file (source, `".zo"` or extension) that is chosen.

If `read-syntax-proc` is provided, it is used to read the module from a source file (but not from a bytecode file).

---

```
(moddep-current-open-input-file)
→ (path-string? . -> . input-port?)
(moddep-current-open-input-file proc) → void?
  proc : (path-string? . -> . input-port?)
```

A parameter whose value is used like `open-input-file` to read a module source or `".zo"` file.

---

```
(struct exn:get-module-code exn (path)
      #:extra-constructor-name make-exn:get-module-code)
  path : path?
```

An exception structure type for exceptions raised by `get-module-code`.

## 2.3 Resolving Module Paths to File Paths

```
(require syntax/modresolve)
```

---

```
(resolve-module-path module-path-v
                    rel-to-path-v) → path?
  module-path-v : module-path?
  rel-to-path-v : (or/c path-string? (-> any) false/c)
```

Resolves a module path to filename path. The module path is resolved relative to `rel-to-path-v` if it is a path string (assumed to be for a file), to the directory result of calling the

think if it is a thunk, or to the current directory otherwise.

---

```
(resolve-module-path-index module-path-index
                          rel-to-path-v) → path?
  module-path-index : module-path-index?
  rel-to-path-v : (or/c path-string? (-> any) false/c)
```

Like `resolve-module-path` but the input is a module path index; in this case, the `rel-to-path-v` base is used where the module path index contains the “self” index. If `module-path-index` depends on the “self” module path index, then an exception is raised unless `rel-to-path-v` is a path string.

## 2.4 Simplifying Module Paths

```
(require syntax/modcollapse)
```

---

```
(collapse-module-path module-path-v
                     rel-to-module-path-v)
→ (or/c path? module-path?)
  module-path-v : module-path?
  rel-to-module-path-v : any/c
```

Returns a “simplified” module path by combining `module-path-v` with `rel-to-module-path-v`, where the latter must have the form `'(lib ...)` or a symbol, `'(file <string>)`, `'(planet ...)`, a path, or a thunk to generate one of those.

The result can be a path if `module-path-v` contains a path element that is needed for the result, or if `rel-to-module-path-v` is a non-string path that is needed for the result; otherwise, the result is a module path in the sense of `module-path?`.

When the result is a `'lib` or `'planet` module path, it is normalized so that equivalent module paths are represented by `equal?` results.

---

```
(collapse-module-path-index module-path-index
                          rel-to-module-path-v)
→ (or/c path? module-path?)
  module-path-index : module-path-index?
  rel-to-module-path-v : any/c
```

Like `collapse-module-path`, but the input is a module path index; in this case, the `rel-to-module-path-v` base is used where the module path index contains the “self” index.



## 2.5 Inspecting Modules and Module Dependencies

```
(require syntax/moddep)
```

Re-exports `syntax/modread`, `syntax/modcode`, `syntax/modcollapse`, and `syntax/modresolve`, in addition to the following:

---

```
(show-import-tree module-path-v) → void?  
  module-path-v : module-path?
```

A debugging aid that prints the import hierarchy starting from a given module path.

## 3 Macro Transformer Helpers

### 3.1 Extracting Inferred Names

```
(require syntax/name)
```

---

```
(syntax-local-infer-name stx) → any/c  
stx : syntax?
```

Similar to `syntax-local-name` except that `stx` is checked for an `'inferred-name` property (which overrides any inferred name). If neither `syntax-local-name` nor `'inferred-name` produce a name, then a name is constructed from the source-location information in `stx`, if any. If no name can be constructed, the result is `#f`.

### 3.2 Support for `local-expand`

```
(require syntax/context)
```

---

```
(build-expand-context v) → list?  
v : (or/c symbol? list?)
```

Returns a list suitable for use as a context argument to `local-expand` for an internal-definition context. The `v` argument represents the immediate context for expansion. The context list builds on `(syntax-local-context)` if it is a list.

---

```
(generate-expand-context) → list?
```

Calls `build-expand-context` with a generated symbol.

### 3.3 Parsing define-like Forms

```
(require syntax/define)
```

---

```
(normalize-definition defn-stx  
                    lambda-id-stx  
                    [check-context?  
                    opt+kws?]) → identifier? syntax?  
defn-stx : syntax?  
lambda-id-stx : identifier?
```

```
check-context? : boolean? = #t
opt+kws? : boolean? = #t
```

Takes a definition form whose shape is like `define` (though possibly with a different name) and returns two values: the defined identifier and the right-hand side expression.

To generate the right-hand side, this function may need to insert uses of `lambda`. The `lambda-id-stx` argument provides a suitable `lambda` identifier.

If the definition is ill-formed, a syntax error is raised. If `check-context?` is true, then a syntax error is raised if `(syntax-local-context)` indicates that the current context is an expression context. The default value of `check-context?` is `#t`.

If `opt-kws?` is `#t`, then arguments of the form `[id expr]`, keyword `id`, and keyword `[id expr]` are allowed, and they are preserved in the expansion.

### 3.4 Flattening `begin` Forms

```
(require syntax/flatten-begin)
```

---

```
(flatten-begin stx) → (listof syntax?)
  stx : syntax?
```

Extracts the sub-expressions from a `begin`-like form, reporting an error if `stx` does not have the right shape (i.e., a syntax list). The resulting syntax objects have annotations transferred from `stx` using `syntax-track-origin`.

### 3.5 Expanding `define-struct-like` Forms

```
(require syntax/struct)
```

---

```
(parse-define-struct stx orig-stx) → identifier?
                                     (or/c identifier? false/c)
                                     (listof identifier?)
                                     syntax?

  stx : syntax?
  orig-stx : syntax?
```

Parses `stx` as a `define-struct` form, but uses `orig-stx` to report syntax errors (under the assumption that `orig-stx` is the same as `stx`, or that they at least share sub-forms). The result is four values: an identifier for the struct type name, a identifier or `#f` for the super-name, a list of identifiers for fields, and a syntax object for the inspector expression.

---

```
(build-struct-names name-id
                   field-ids
                   omit-sel?
                   omit-set?
                   [src-stx]) → (listof identifier?)
name-id : identifier?
field-ids : (listof identifier?)
omit-sel? : boolean?
omit-set? : boolean?
src-stx : (or/c syntax? false/c) = #f
```

Generates the names bound by `define-struct` given an identifier for the struct type name and a list of identifiers for the field names. The result is a list of identifiers:

- `struct:name-id`
- `make-name-id`
- `name-id?`
- `name-id-field`, for each `field` in `field-ids`.
- `set-name-id-field!` (getter and setter names alternate).
- ....

If `omit-sel?` is true, then the selector names are omitted from the result list. If `omit-set?` is true, then the setter names are omitted from the result list.

The default `src-stx` is `#f`; it is used to provide a source location to the generated identifiers.

---

```
(build-struct-generation name-id
                       field-ids
                       omit-sel?
                       omit-set?
                       [super-type
                       prop-value-list
                       immutable-k-list])
→ (listof identifier?)
name-id : identifier?
field-ids : (listof identifier?)
omit-sel? : boolean?
omit-set? : boolean?
super-type : any/c = #f
prop-value-list : list? = empty
```

```
immutable-k-list : list? = empty
```

Takes the same arguments as `build-struct-names` and generates an S-expression for code using `make-struct-type` to generate the structure type and return values for the identifiers created by `build-struct-names`. The optional `super-type`, `prop-value-list`, and `immutable-k-list` parameters take S-expression values that are used as the corresponding arguments to `make-struct-type`.

---

```
(build-struct-generation* all-name-ids
                          name-id
                          field-ids
                          omit-sel?
                          omit-set?
                          [super-type
                           prop-value-list
                           immutable-k-list])
→ (listof identifier?)
all-name-ids : (listof identifier?)
name-id : identifier?
field-ids : (listof identifier?)
omit-sel? : boolean?
omit-set? : boolean?
super-type : any/c = #f
prop-value-list : list? = empty
immutable-k-list : list? = empty
```

Like `build-struct-generation`, but given the names produced by `build-struct-names`, instead of re-generating them.

---

```
(build-struct-expand-info name-id
                          field-ids
                          omit-sel?
                          omit-set?
                          base-name
                          base-getters
                          base-setters) → any
name-id : identifier?
field-ids : (listof identifier?)
omit-sel? : boolean?
omit-set? : boolean?
base-name : (or/c identifier? boolean?)
base-getters : (listof (or/c identifier? false/c))
base-setters : (listof (or/c identifier? false/c))
```

Takes the same arguments as `build-struct-names`, plus a parent identifier/`#t`/`#f` and a list of accessor and mutator identifiers (possibly ending in `#f`) for a parent type, and generates an S-expression for expansion-time code to be used in the binding for the structure name. A `#t` for the `base-name` means no super-type, `#f` means that the super-type (if any) is unknown, and an identifier indicates the super-type identifier.

---

```
(struct-declaration-info? v) → boolean?
  v : any/c
```

Returns `#t` if `x` has the shape of expansion-time information for structure type declarations, `#f` otherwise. See §4.6 “Structure Type Transformer Binding”.

---

```
(generate-struct-declaration  orig-stx
                              name-id
                              super-id-or-false
                              field-id-list
                              current-context
                              make-make-struct-type
                              [omit-sel?
                              omit-set?]) → syntax?

orig-stx : syntax?
name-id  : identifier?
super-id-or-false : (or/c identifier? false/c)
field-id-list : (listof identifier?)
current-context : any/c
make-make-struct-type : procedure?
omit-sel? : boolean? = #f
omit-set? : boolean? = #f
```

This procedure implements the core of a `define-struct` expansion.

The `generate-struct-declaration` procedure is called by a macro expander to generate the expansion, where the `name-id`, `super-id-or-false`, and `field-id-list` arguments provide the main parameters. The `current-context` argument is normally the result of `syntax-local-context`. The `orig-stx` argument is used for syntax errors. The optional `omit-sel?` and `omit-set?` arguments default to `#f`; a `#t` value suppresses definitions of field selectors or mutators, respectively.

The `make-struct-type` procedure is called to generate the expression to actually create the struct type. Its arguments are `orig-stx`, `name-id-stx`, `defined-name-stxes`, and `super-info`. The first two are as provided originally to `generate-struct-declaration`, the third is the set of names generated by `build-struct-names`, and the last is super-struct info obtained by resolving `super-id-or-false` when it is not `#f`, `#f` otherwise.

The result should be an expression whose values are the same as the result of `make-struct-type`. Thus, the following is a basic `make-make-struct-type`:

```
(lambda (orig-stx name-stx defined-name-stxes super-info)
  #'(make-struct-type '#,name-stx
                      #,(and super-info (list-ref super-info 0))
                      #,(/ (- (length defined-name-stxes) 3) 2)
                      0 #f))
```

but an actual `make-make-struct-type` will likely do more.

### 3.6 Resolving include-like Paths

```
(require syntax/path-spec)
```

---

```
(resolve-path-spec path-spec-stx
                  source-stx
                  expr-stx
                  build-path-stx) → complete-path?
path-spec-stx : syntax?
source-stx   : syntax?
expr-stx     : syntax?
build-path-stx : syntax?
```

Resolves the syntactic path specification `path-spec-stx` as for `include`.

The `source-stx` specifies a syntax object whose source-location information determines relative-path resolution. The `expr-stx` is used for reporting syntax errors. The `build-path-stx` is usually `#'build-path`; it provides an identifier to compare to parts of `path-spec-stx` to recognize the `build-path` keyword.

### 3.7 Controlling Syntax Templates

```
(require syntax/template)
```

---

```

(transform-template template-stx
  #:save save-proc
  #:restore-stx restore-proc-stx
  [#:leaf-save leaf-save-proc
   #:leaf-restore-stx leaf-restore-proc-stx
   #:leaf-datum-stx leaf-datum-proc-stx
   #:pvar-save pvar-save-proc
   #:pvar-restore-stx pvar-restore-stx
   #:cons-stx cons-proc-stx
   #:ellipses-end-stx ellipses-end-stx
   #:constant-as-leaf? constant-as-leaf?])
→ syntax?
template-stx : syntax?
save-proc : (syntax? . -> . any/c)
restore-proc-stx : syntax?
leaf-save-proc : (syntax? . -> . any/c) = save-proc
leaf-restore-proc-stx : syntax? = #'(lambda (data stx) stx)
leaf-datum-proc-stx : syntax? = #'(lambda (v) v)
pvar-save-proc : (identifier? . -> . any/c) = (lambda (x) #f)
pvar-restore-stx : syntax? = #'(lambda (d stx) stx)
cons-proc-stx : syntax? = cons
ellipses-end-stx : syntax? = #'values
constant-as-leaf? : boolean? = #f

```

Produces an representation of an expression similar to #'(syntax #, *template-stx*), but functions like *save-proc* can collect information that might otherwise be lost by syntax (such as properties when the syntax object is marshaled within bytecode), and run-time functions like the one specified by *restore-proc-stx* can use the saved information or otherwise process the syntax object that is generated by the template.

The *save-proc* is applied to each syntax object in the representation of the original template (i.e., in *template-stx*). If *constant-as-leaf?* is #t, then *save-proc* is applied only to syntax objects that contain at least one pattern variable in a sub-form. The result of *save-proc* is provided back as the first argument to *restore-proc-stx*, which indicates a function with a contract (-> any/c syntax any/c any/c); the second argument to *restore-proc-stx* is the syntax object that syntax generates, and the last argument is a datum that have been processed recursively (by functions such as *restore-proc-stx*) and that normally would be converted back to a syntax object using the second argument's context, source, and properties. Note that *save-proc* works at expansion time (with respect to the template form), while *restore-proc-stx* indicates a function that is called at run time (for the template form), and the data that flows from *save-proc* to *restore-proc-stx* crosses phases via quote.

The *leaf-save-proc* and *leaf-restore-proc-stx* procedures are analogous to *save-proc* and *restore-proc-stx*, but they are applied to leaves, so there is no third argument



for recursively processed sub-forms. The function indicated by *leaf-restore-proc-stx* should have the contract `(-> any/c syntax? any/c)`.

The *leaf-datum-proc-stx* procedure is applied to leaves that are not syntax objects, which can happen because pairs and the empty list are not always individually wrapped as syntax objects. The function should have the contract `(-> any/c any/c)`. When *constant-as-leaf?* is `#f`, the only possible argument to the procedure is `null`.

The *pvar-save* and *pvar-restore-stx* procedures are analogous to *save-proc* and *restore-proc-stx*, but they are applied to pattern variables. The *pvar-restore-stx* procedure should have the contract `(-> any/c syntax? any/c)`, where the second argument corresponds to the substitution of the pattern variable.

The *cons-proc-stx* procedure is used to build intermediate pairs, including pairs passed to *restore-proc-stx* and pairs that do not correspond to syntax objects.

The *ellipses-end-stx* procedure is an extra filter on the syntax object that follows a sequence of . . . ellipses in the template. The procedure should have the contract `(-> any/c any/c)`.

The following example illustrates a use of *transform-template* to implement a *syntax/shape* form that preserves the *'paren-shape* property from the original template, even if the template code is marshaled within bytecode.

```
(define-for-syntax (get-shape-prop stx)
  (syntax-property stx 'paren-shape))

(define (add-shape-prop v stx datum)
  (syntax-property (datum->syntax stx datum stx stx stx)
    'paren-shape
    v))

(define-syntax (syntax/shape stx)
  (syntax-case stx ()
    [(_ tmpl)
     (transform-template #'tmpl
       #:save get-shape-prop
       #:restore-stx #'add-shape-prop)]))
```

## 4 Reader Helpers

### 4.1 Raising `exn:fail:read`

```
(require syntax/readerr)
```

---

```
(raise-read-error msg-string
                  source
                  line
                  col
                  pos
                  span) → any
msg-string : string?
source : any/c
line : (or/c number? false/c)
col : (or/c number? false/c)
pos : (or/c number? false/c)
span : (or/c number? false/c)
```

Creates and raises an `exn:fail:read` exception, using *msg-string* as the base error message.

Source-location information is added to the error message using the last five arguments (if the `error-print-source-location` parameter is set to `#t`). The *source* argument is an arbitrary value naming the source location—usually a file path string. Each of the *line*, *pos* arguments is `#f` or a positive exact integer representing the location within *source-name* (as much as known), *col* is a non-negative exact integer for the source column (if known), and *span* is `#f` or a non-negative exact integer for an item range starting from the indicated position.

The usual location values should point at the beginning of whatever it is you were reading, and the span usually goes to the point the error was discovered.

---

```
(raise-read-eof-error msg-string
                     source
                     line
                     col
                     pos
                     span) → any
msg-string : string?
source : any/c
line : (or/c number? false/c)
col : (or/c number? false/c)
```

```
pos : (or/c number? false/c)
span : (or/c number? false/c)
```

Like `raise-read-error`, but raises `exn:fail:read:eof` instead of `exn:fail:read`.

## 4.2 Module Reader

See also §17.3  
“Defining new  
#lang Languages”  
in *Guide: Racket*.

```
(require syntax/module-reader)
```

The `syntax/module-reader` library provides support for defining #lang readers. It is normally used as a module language, though it may also be required to get `make-meta-reader`. It provides all of the bindings of `scheme/base` other than `#!/module-begin`.

---

```
(#!/module-begin module-path)
(#!/module-begin module-path reader-option ... form ....)
(#!/module-begin          reader-option ... form ....)

reader-option = #:read          read-expr
                | #:read-syntax read-syntax-expr
                | #:whole-body-readers? whole?-expr
                | #:wrapper1     wrapper1-expr
                | #:wrapper2     wrapper2-expr
                | #:language     lang-expr
                | #:info         info-expr
                | #:language-info language-info-expr

read-expr : (input-port? . -> . any/c)
read-syntax-expr : (any/c input-port? . -> . any/c)
whole-expr : any/c
wrapper1-expr : (or/c ((-> any/c) . -> . any/c)
                   ((-> any/c) boolean? . -> . any/c))
wrapper2-expr : (or/c (input-port? (input-port? . -> . any/c)
                       . -> . any/c)
                 (input-port? (input-port? . -> . any/c)
                               boolean? . -> . any/c))
info-expr : (symbol? any/c (symbol? any/c . -> . any/c) . -> . any/c)
module-info-expr : (or/c (vector/c module-path? symbol? any/c) #f)
lang-expr : (or/c module-path?
             (and/c syntax? (compose module-path? syntax->datum)
                   procedure?))
```

In its simplest form, the body of a module written with `syntax/module-reader` contains just a module path, which is used in the language position of read modules. For example, a module `something/lang/reader` implemented as

```
(module reader syntax/module-reader
  module-path)
```

creates a reader such that a module source

```
#lang something
....
```

is read as

```
(module name-id module-path
  (%module-begin ....))
```

Keyword-based *reader-options* allow further customization, as listed below. Additional *forms* are as in the body of `scheme/base` module; they can import bindings and define identifiers used by the *reader-options*.

- `#:read` and `#:read-syntax` (both or neither must be supplied) specify alternate readers for parsing the module body—replacements `read` and `read-syntax`, respectively. Normally, the replacements for `read` and `read-syntax` are applied repeatedly to the module source until `eof` is produced, but see also `#:whole-body-readers?`.

For example, a language built on the *Honu* reader could be implemented with:

```
(module reader syntax/module-reader
  module-path
  #:read read-honu
  #:read-syntax read-honu-syntax)
```

See also `#:wrapper1` and `#:wrapper2`, which support simple parameterization of readers rather than wholesale replacement.

- `#:whole-body-readers?` specified as true indicates that the `#:read` and `#:read-syntax` functions each produce a list of S-expressions or syntax objects for the module content, so that each is applied just once to the input stream.

If the resulting list contains a single form that starts with the symbol `'%module-begin` (or a syntax object whose datum is that symbol), then the first item is used as the module body; otherwise, a `'%module-begin` (symbol or identifier) is added to the beginning of the list to form the module body.

- `#:wrapper1` specifies a function that controls the dynamic context in which the `read` and `read-syntax` functions are called. A `#:wrapper1`-specified function must accept a thunk, and it normally calls the thunk to produce a result while *parameterizing* the call. Optionally, a `#:wrapper1`-specified function can accept a boolean that indicates whether it is used in `read` (`#f`) or `read-syntax` (`#t`) mode.

For example, a language like `scheme/base` but with case-insensitive reading of symbols and identifiers can be implemented as

```
(module reader syntax/module-reader
  scheme/base
  #:wrapper1 (lambda (t)
              (parameterize ([read-case-sensitive #f])
                (t))))
```

Using a readable, you can implement languages that are extensions of plain S-expressions.

- `#:wrapper2` is like `#:wrapper1`, but a `#:wrapper2`-specified function receives the input port to be read, and the function that it receives accepts an input port (usually, but not necessarily the same input port). A `#:wrapper2`-specified function can optionally accept a boolean that indicates whether it is used in `read (#f)` or `read-syntax (#t)` mode.
- `#:info` specifies an implementation of reflective information that is used by external tools to manipulate the *source* of modules in the language *something*. For example, DrRacket uses information from `#:info` to determine the style of syntax coloring that it should use for editing a module's source.

The `#:info` specification should be a function of three arguments: a symbol indicating the kind of information requested (as defined by external tools), a default value that normally should be returned if the symbol is not recognized, and a default-filtering function that takes the first two arguments and returns a result.

The expression after `#:info` is placed into a context where `language-module` and `language-data` are bound. The `language-module` identifier is bound to the `module-path` that is used for the read module's language as written directly or as determined through `#:language`. The `language-data` identifier is bound to the second result from `#:language`, or `#f` by default.

The default-filtering function passed to the `#:info` function is intended to provide support for information that `syntax/module-reader` can provide automatically. Currently, it recognizes only the `'module-language` key, for which it returns `language-module`; it returns the given default value for any other key.

In the case of the DrRacket syntax-coloring example, DrRacket supplies `'color-lexer` as the symbol argument, and it supplies `#f` as the default. The default-filtering argument (i.e., the third argument to the `#:info` function) currently just returns the default for `'color-lexer`.

- `#:language-info` specifies an implementation of reflective information that is used by external tools to manipulate the module in the language *something* in its *expanded*, *compiled*, or *declared* form (as opposed to source). For example, when Racket starts a program, it uses information attached to the main module to initialize the run-time environment.

Since the expanded/compiled/declared form exists at a different time than when the source is read, a `#:language-info` specification is a vector that indicates an implementation of the reflective information, instead of a direct implementation as a function like `#:info`. The first element of the vector is a module path, the second is a symbol corresponding to a function exported from the module, and the last element is a value to be passed to the function. The last value in the vector must be one that can be written with `write` and read back with `read`. When the exported function indicated by the first two vector elements is called with the value from the last vector element, the result should be a function or two arguments: a symbol and a default value. The symbol and default value are used as for the `#:info` function (but without an extra default-filtering function).

The value specified by `#:language-info` is attached to the module form that is parsed from source through the `'module-language` syntax property. See `module` for more information.

The expression after `#:language-info` is placed into a context where `language-module` and `language-data` are bound, the same as for `#:info`.

In the case of the Racket run-time configuration example, Racket uses the `#:language-info` vector to obtain a function, and then it passes `'configure-runtime` to the function to obtain information about configuring the runtime environment. See also §17.1.5 “Language Run-Time Configuration”.

- `#:language` allows the language of the read module to be computed dynamically and based on the program source, instead of using a constant `module-path`. (Either `#:language` or `module-path` must be provided, but not both.)

This value of the `#:language` option can be either a module path (possibly as a syntax object) that is used as a module language, or it can be a procedure. If it is a procedure it can accept either

- 0 arguments;
- 1 argument: an input port; or
- 5 arguments: an input port, a syntax object whose datum is a module path for the enclosing module as it was referenced through `#lang` or `#reader`, a starting line number (positive exact integer) or `#f`, a column number (non-negative exact integer) or `#f`, and a position number (positive exact integer) or `#f`.

The result can be either

- a single value, which is a module path or a syntax object whose datum is a module path, to be used like `module-path`; or
- two values, where the first is like a single-value result and the second can be any value.

The second result, which defaults to `#f` if only a single result is produced, is made available to the `#:info` and `#:module-info` functions through the `language-data` binding. For example, it can be a specification derived from the input stream that

changes the module's reflective information (such as the syntax-coloring mode or the output-printing styles).

As another example, the following reader defines a “language” that ignores the contents of the file, and simply reads files as if they were empty:

```
(module ignored syntax/module-reader
  scheme/base
  #:wrapper1 (lambda (t) (t) '()))
```

Note that the wrapper still performs the read, otherwise the module loader would complain about extra expressions.

As a more useful example, the following module language is similar to `at-exp`, where the first datum in the file determines the actual language (which means that the library specification is effectively ignored):

```
(module reader syntax/module-reader
  -ignored-
  #:wrapper2
  (lambda (in rd stx?)
    (let* ([lang (read in)]
           [mod (parameterize ([current-readtable
                               (make-at-readtable)])
                             (rd in))]
           [mod (if stx? mod (datum->syntax #f mod))]
           [r (syntax-case mod ()
                 [(module name lang* . body)
                  (with-syntax ([lang (datum->syntax
                                       #'lang* lang #'lang*)])
                    (syntax/loc mod (module name lang . body)))]))]
          (if stx? r (syntax->datum r)))]
    (require scribble/reader))
```

The ability to change the language position in the resulting module expression can be useful in cases such as the above, where the base language module is chosen based on the input. To make this more convenient, you can omit the `module-path` and instead specify it via a `#:language` expression. This expression can evaluate to a datum or syntax object that is used as a language, or it can evaluate to a thunk. In the latter case, the thunk is invoked to obtain such a datum before reading the module body begins, in a dynamic extent where `current-input-port` is the source input. A syntax object is converted using `syntax->datum` when a datum is needed (for `read` instead of `read-syntax`). Using `#:language`, the last example above can be written more concisely:

```
(module reader syntax/module-reader
  #:language read
```

```
#:wrapper2 (lambda (in rd stx?)
            (parameterize ([current-readtable
                           (make-at-readtable)])
              (rd in)))
(require scribble/reader))
```

For such cases, however, the alternative reader constructor `make-meta-reader` implements a might tightly controlled reading of the module language.

---

```
(make-meta-reader self-sym
                 path-desc-str
                 [#:read-spec read-spec]
                 module-path-parser
                 convert-read
                 convert-read-syntax
                 convert-get-info)
→ procedure? procedure? procedure?
self-sym : symbol?
path-desc-str : string?
read-spec : (input-port? . -> . any/c) = (lambda (in) ...)
module-path-parser : (any/c . -> . (or/c module-path? #f))
convert-read : (procedure? . -> . procedure?)
convert-read-syntax : (procedure? . -> . procedure?)
convert-get-info : (procedure? . -> . procedure?)
```

Generates procedures suitable for export as `read` (see `read` and `#lang`), `read-syntax` (see `read-syntax` and `#lang`), and `get-info` (see `read-language` and `#lang`), respectively, where the procedures chains to another language that is specified in an input stream.

The generated functions expect a target language description in the input stream that is provided to `read-spec`. The default `read-spec` extracts a non-empty sequence of bytes after one or more space and tab bytes, stopping at the first whitespace byte or end-of-file (whichever is first), and it produces either such a byte string or `#f`. If `read-spec` produces `#f`, a reader exception is raised, and `path-desc-str` is used as a description of the expected language form in the error message.

The result of `read-spec` is converted to a module path using `module-path-parser`. If `module-path-parser` produces `#f`, a reader exception is raised in the same way as when `read-spec` produces a `#f`. The planet languages supply a `module-path-parser` that converts a byte string to a module path.

If loading the module produced by `module-path-parser` succeeds, then the loaded module's `read`, `read-syntax`, or `get-info` export is passed to `convert-read`, `convert-read-syntax`, or `convert-get-info`, respectively.

The `at-exp`, `reader`, and `planet` languages are implemented using this function.

The `reader` language supplies `read` for `read-spec`. The `at-exp` and `planet` languages use the default `read-spec`.

The `at-exp` language supplies `convert-read` and `convert-read-syntax` to add `@-expression` support to the current readtable before chaining to the given procedures.



The procedures generated by `make-meta-reader` are not meant for use with the `syntax/module-reader` language; they are meant to be exported directly.

---

```
(wrap-read-all mod-path
  in
  read
  mod-path-stx
  src
  line
  col
  pos)      → any/c
mod-path : module-path?
in : input-port?
read : (input-port . -> . any/c)
mod-path-stx : syntax?
src : (or/c syntax? #f)
line : number?
col : number?
pos : number?
```

*This function is deprecated; the `syntax/module-reader` language can be adapted using the various keywords to arbitrary readers; please use it instead.*

Repeatedly calls `read` on `in` until an end of file, collecting the results in order into `lst`, and derives a `name-id` from `(object-name in)`. The last five arguments are used to construct the syntax object for the language position of the module. The result is roughly

```
'(module ,name-id ,mod-path ,@lst)
```

## 5 Non-Module Compilation And Expansion

```
(require syntax/toplevel)
```

---

```
(expand-syntax-top-level-with-compile-time-evals stx) → syntax?  
  stx : syntax?
```

Expands *stx* as a top-level expression, and evaluates its compile-time portion for the benefit of later expansions.

The expander recognizes top-level `begin` expressions, and interleaves the evaluation and expansion of the `begin` body, so that compile-time expressions within the `begin` body affect later expansions within the body. (In other words, it ensures that expanding a `begin` is the same as expanding separate top-level expressions.)

The *stx* should have a context already, possibly introduced with `namespace-syntax-introduce`.

---

```
(expand-top-level-with-compile-time-evals stx) → syntax?  
  stx : syntax?
```

Like `expand-syntax-top-level-with-compile-time-evals`, but *stx* is first given context by applying `namespace-syntax-introduce` to it.

---

```
(expand-syntax-top-level-with-compile-time-evals/flatten stx)  
→ (listof syntax?)  
  stx : syntax?
```

Like `expand-syntax-top-level-with-compile-time-evals`, except that it returns a list of syntax objects, none of which have a `begin`. These syntax objects are the flattened out contents of any `begin`s in the expansion of *stx*.

---

```
(eval-compile-time-part-of-top-level stx) → void?  
  stx : syntax?
```

Evaluates expansion-time code in the fully expanded top-level expression represented by *stx* (or a part of it, in the case of `begin` expressions). The expansion-time code might affect the compilation of later top-level expressions. For example, if *stx* is a `require` expression, then `namespace-require/expansion-time` is used on each `require` specification in the form. Normally, this function is used only by `expand-top-level-with-compile-time-evals`.

---

```
(eval-compile-time-part-of-top-level/compile stx)
```

```
→ (listof compiled-expression?)  
  stx : syntax?
```

Like `eval-compile-time-part-of-top-level`, but the result is compiled code.

## 6 Trusting Standard Recertifying Transformers

```
(require syntax/trusted-xforms)
```

The `syntax/trusted-xforms` library has no exports. It exists only to require other modules that perform syntax transformations, where the other transformations must use `syntax-recertify`. An application that wishes to provide a less powerful code inspector to a sub-program should generally attach `syntax/trusted-xforms` to the sub-program's namespace so that things like the class system from `scheme/class` work properly.

## 7 Attaching Documentation to Exports

```
(require syntax/docprovide)
```

---

```
(provide-and-document doc-label-id doc-row ...)
```

```
doc-row = (section-string (name type-datum doc-string ...) ...)
          | (all-from prefix-id module-path doc-label-id)
          | (all-from-except prefix-id module-path doc-label-id id ...)

name = id
       | (local-name-id external-name-id)
```

A form that exports names and records documentation information.

The *doc-label-id* identifier is used as a key for accessing the documentation through [lookup-documentation](#). The actual documentation is organized into “rows”, each with a section title.

A *row* has one of the following forms:

- `(section-string (name type-datum doc-string ...) ...)`  
Creates a documentation section whose title is *section-string*, and provides/documents each *name*. The *type-datum* is arbitrary, for use by clients that call [lookup-documentation](#). The *doc-strings* are also arbitrary documentation information, usually concatenated by clients.  
A *name* is either an identifier or a renaming sequence (*local-name-id* *external-name-id*).  
Multiple *rows* with the same section name will be merged in the documentation output. The final order of sections matches the order of the first mention of each section.
- `(all-from prefix-id module-path doc-label-id)`
- `(all-from-except prefix-id module-path doc-label-id id ...)`  
Merges documentation and provisions from the specified module into the current one; the *prefix-id* is used to prefix the imports into the current module (so they can be re-exported). If *ids* are provided, the specified *ids* are not re-exported and their documentation is not merged.

---

```
(lookup-documentation module-path-v
                     label-sym) → any
module-path-v : module-path?
label-sym : symbol?
```

Returns documentation for the specified module and label. The *module-path-v* argument is a quoted module path, like the argument to `dynamic-require`. The *label-sym* identifies a set of documentation using the symbol as a label identifier in `provide-and-document`.

## 8 Parsing and classifying syntax

The `syntax/parse` library provides a framework for describing and parsing syntax. Using `syntax/parse`, macro writers can define new syntactic categories, specify their legal syntax, and use them to write clear, concise, and robust macros. The library also provides a pattern-matching form, `syntax-parse`, which offers many improvements over `syntax-case`.

```
(require syntax/parse)
```

### 8.1 Quick Start

This section provides a rapid introduction to the `syntax/parse` library for the macro programmer.

To use `syntax-parse` to write a macro transformer, import it for-syntax:

```
(require (for-syntax syntax/parse))
```

For example, here is a module that defines `mylet`, a macro that has the same behavior as the standard `let` form (including “named `let`”):

```
(module example racket/base
  (require (for-syntax scheme/base syntax/parse))
  (define-syntax (mylet stx)
    (syntax-parse stx
      [(_ loop:id ((x:id e:expr) ...) . body)
       #'(letrec ([loop (lambda (x ...) . body)])
           (loop e ...))]
      [(_ ((x:id e:expr) ...) . body)
       #'((lambda (x ...) . body) e ...)]))
```

The macro is defined as a procedure that takes one argument, `stx`. The `syntax-parse` form is similar to `syntax-case`, except that there is no literals list between the syntax argument and the sequence of clauses.

**Note:** Remember not to put a `syntax-case` style literals list between the syntax argument and the clauses!

The patterns contain identifiers consisting of two parts separated by a colon character, such as `loop:id` or `e:expr`. These are pattern variables annotated with syntax classes. For example, `loop:id` is a pattern variable named `loop` with the syntax class `id` (identifier). Note that only the pattern variable part is used in the syntax template.

Syntax classes restrict what a pattern variable can match. Above, `loop` only matches an

identifier, so the first clause only matches the “named-let” syntax. Syntax classes replace some uses of `syntax-case`’s “fenders” or guard expressions. They also enable `syntax-parse` to automatically give specific error messages.

The `syntax/parse` library provides several built-in syntax classes (see §8.5 “Library syntax classes and literal sets” for a list). Programmers can also define their own using `define-syntax-class`:

```
(module example-syntax racket/base
  (require syntax/parse)
  (provide binding)
  (define-syntax-class binding
    #:attributes (x e)
    (pattern (x:id e:expr))))

(module example racket/base
  (require (for-syntax racket/base
                     syntax/parse
                     'example-syntax))
  (define-syntax (mylet stx)
    (syntax-parse stx
      [(_ loop:id (b:binding ...) . body)
       #'(letrec ([loop (lambda (b.x ...) . body)])
           (loop b.e ...))]
      [(_ (b:binding ...) . body)
       #'((lambda (b.x ...) . body) b.e ...)]))
```

**Note:** Syntax classes must be defined in the same phase as the `syntax-parse` expression they’re used in. The right-hand side of a macro is at phase 1, so syntax classes it uses must be defined in a separate module and required `for-syntax`. Since the auxiliary module uses `define-syntax-class` at phase 0, it has `(require syntax/parse)`, with no `for-syntax`.

Alternatively, the syntax class could be made a local definition, thus:

```
(module example racket/base
  (require (for-syntax scheme/base
                     syntax/parse))
  (define-syntax (mylet stx)
    (define-syntax-class binding
      #:attributes (x e)
      (pattern (x:id e:expr)))
    (syntax-parse stx
      [(_ loop:id (b:binding ...) . body)
       #'(letrec ([loop (lambda (b.x ...) . body)])
           (loop b.e ...))])
```



```

[(_ (b:binding ...) . body)
 #'((lambda (b.x ...) . body) b.e ...)]))

```

A syntax class is an abstraction of a syntax pattern. The syntax class `binding` gives a name to the repeated pattern fragment `(x:id e:expr)`. The components of the fragment, `x` and `e`, become attributes of the syntax class. When `b:binding` matches, `b` gets bound to the whole binding pair, and `b.x` and `b.e` get bound to the variable name and expression, respectively. Actually, all of them are bound to sequences, because of the ellipses.

Syntax classes can have multiple alternative patterns. Suppose we wanted to extend `mylet` to allow a simple identifier as a binding, in which case it would get the value `#f`:

```

(mylet ([a 1] b [c 'foo]) ....)

```

Here's how the syntax class would change:

```

(module example-syntax scheme/base
  (require syntax/parse)
  (require (for-template scheme/base))
  (provide binding)
  (define-syntax-class binding
    #:attributes (x e)
    (pattern (x:id e:expr))
    (pattern x:id
      #:with e #'#f)))

```

The `(require (for-template scheme/base))` is needed for the `quote` expression. If the syntax class definition were a local definition in the same module, the `for-template` would be unnecessary.

The second pattern matches unparenthesized identifiers. The `e` attribute is bound using a `#:with` clause, which matches the pattern `e` against the syntax from evaluating `#'#f`.

Optional keyword arguments are supported via head patterns. Unlike normal patterns, which match one term, head patterns can match a variable number of subterms in a list.

Suppose `mylet` accepted an optional `#:check` keyword with one argument, a procedure that would be applied to every variable's value. Here's one way to write it (dropping the named-let variant for simplicity):

```

(define-syntax (mylet stx)
  (syntax-parse stx
    [(_ (~optional (~seq #:check pred)) (b:binding ...) . body)
     #'((lambda (b.x ...)
          #,(if (attribute pred)
                #'(unless (and (pred b.x) ...) (error 'check))
                #'(void))
             . body)
          b.e ...)]))

```

An optional subpattern might not match, so attributes within an `~optional` form might

not be bound to syntax. Such non-syntax-valued attributes may not be used within syntax templates. The `attribute` special form is used to get the value of an attribute; if the attribute didn't get matched, the value is `#f`.

Here's another way write it, using `#:defaults` to give the `pred` attribute a default value:

```
(define-syntax (mylet stx)
  (syntax-parse stx
    [(_ (~optional (~seq #:check pred)
                  #:defaults ([pred #'(lambda (x) #t)]))
      (b:binding ...) . body)
     #'((lambda (b.x ...)
          (unless (and (pred b.x) ...) (error 'check))
            . body)
        b.e ...)]))
```

Programmers can also create abstractions over head patterns, using `define-splicing-syntax-class`. Here it is, rewritten to use multiple alternatives instead of `~optional`:

```
(define-splicing-syntax-class optional-check
  #:attributes (pred)
  (pattern (~seq #:check pred))
  (pattern (~seq)
    #:with pred #'(lambda (x) #t)))
```

**Note:** When defining a splicing syntax class, remember to include `~seq` in the pattern!

Here is the corresponding macro:

```
(define-syntax (mylet stx)
  (syntax-parse stx
    [(_ c:optional-check (b:binding ...) . body)
     #'((lambda (b.x ...)
          (unless (and (c.pred b.x) ...) (error 'check))
            . body)
        b.e ...)]))
```

The documentation in the following sections contains additional examples of `syntax/parse` features.

## 8.2 Parsing and classifying syntax

This section describes `syntax/parse`'s facilities for parsing and classifying syntax. These facilities use a common language of syntax patterns, which is described in detail in the next section, §8.3 “Syntax patterns”.

## 8.2.1 Parsing syntax

Two parsing forms are provided: `syntax-parse` and `syntax-parser`.

---

```
(syntax-parse stx-expr parse-option ... clause ...+)
```

```
parse-option = #:context context-expr
              | #:literals (literal ...)
              | #:literal-sets (literal-set ...)
              | #:conventions (convention-id ...)
              | #:local-conventions (convention-rule ...)
```

```
literal = literal-id
         | (pattern-id literal-id)
         | (pattern-id literal-id #:phase phase-expr)
```

```
literal-set = literal-set-id
             | (literal-set-id literal-set-option ...)
```

```
literal-set-option = #:at context-id
                    | #:phase phase-expr
```

```
clause = (syntax-pattern pattern-directive ... expr ...+)
```

```
stx-expr : syntax?
```

Evaluates *stx-expr*, which should produce a syntax object, and matches it against the *clauses* in order. If some clause's pattern matches, its attributes are bound to the corresponding subterms of the syntax object and that clause's side conditions and *expr* is evaluated. The result is the result of *expr*.

If the syntax object fails to match any of the patterns (or all matches fail the corresponding clauses' side conditions), a syntax error is raised.

The following options are supported:

---

```
#:context context-expr
```

```
context-expr : syntax?
```

When present, *context-expr* is used in reporting parse failures; otherwise *stx-expr* is used.

Examples:

```
> (syntax-parse #'(a b 3))
```

```

      [(x:id ...) 'ok])
a: expected identifier at: 3
> (syntax-parse #'(a b 3)
   #:context #'(lambda (a b 3) (+ a b))
   [(x:id ...) 'ok])
lambda: expected identifier at: 3

```

---

```
#:literals (literal ...)
```

```

literal = literal-id
         | (pattern-id literal-id)
         | (pattern-id literal-id #:phase phase-expr)

```

The `#:literals` option specifies identifiers that should be treated as literals rather than pattern variables. An entry in the literals list has two components: the identifier used within the pattern to signify the positions to be matched (*pattern-id*), and the identifier expected to occur in those positions (*literal-id*). If the entry is a single identifier, that identifier is used for both purposes.

If the `#:phase` option is given, then the literal is compared at phase *phase-expr*. Specifically, the binding of the *literal-id* at phase *phase-expr* must match the input's binding at phase *phase-expr*.

Unlike `syntax-case`, `syntax-parse` requires all literals to have a binding. To match identifiers by their symbolic names, use the `~datum` pattern form instead.

---

```
#:literal-sets (literal-set ...)
```

```

literal-set = literal-set-id
             | (literal-set-id literal-set-option ...)

```

```

literal-set-option = #:at context-id
                   | #:phase phase-expr

```

Many literals can be declared at once via one or more literal sets, imported with the `#:literal-sets` option. See literal sets for more information.

---

```
#:conventions (conventions-id ...)
```

Imports conventions that give default syntax classes to pattern variables that do not explicitly specify a syntax class.

---

```
#:local-conventions (convention-rule ...)
```

Uses the conventions specified. The advantage of `#:local-conventions` over `#:conventions` is that local conventions can be in the scope of syntax-class parameter bindings. See the section on conventions for examples.

Each clause consists of a syntax pattern, an optional sequence of pattern directives, and a non-empty sequence of body expressions.

---

```
(syntax-parser parse-option ... clause ...+)
```

Like `syntax-parse`, but produces a matching procedure. The procedure accepts a single argument, which should be a syntax object.

## 8.2.2 Classifying syntax

Syntax classes provide an abstraction mechanism for syntax patterns. Built-in syntax classes are supplied that recognize basic classes such as `identifier` and `keyword`. Programmers can compose basic syntax classes to build specifications of more complex syntax, such as lists of distinct identifiers and formal arguments with keywords. Macros that manipulate the same syntactic structures can share syntax class definitions.

---

```
(define-syntax-class name-id stxclass-option ...  
  stxclass-variant ...+)  
(define-syntax-class (name-id arg-id ...) stxclass-option ...  
  stxclass-variant ...+)  
  
stxclass-option = #:attributes (attr-arity-decl ...)  
                  | #:description description-expr  
                  | #:opaque  
                  | #:literals (literal-entry ...)  
                  | #:literal-sets (literal-set ...)  
                  | #:conventions (convention-id ...)  
                  | #:local-conventions (convention-rule ...)  
  
attr-arity-decl = attr-name-id  
                  | (attr-name-id depth)  
  
stxclass-variant = (pattern syntax-pattern pattern-directive ...)
```

Defines *name-id* as a *syntax class*, which encapsulates one or more single-term patterns.

When the *arg-ids* are present, they are bound as variables in the body. The body of the `syntax-class` definition contains a non-empty sequence of pattern variants.

The following options are supported:

---

```
#:attributes (attr-arity-decl ...)
```

```
attr-arity-decl = attr-id  
                | (attr-id depth)
```

Declares the attributes of the syntax class. An attribute arity declaration consists of the attribute name and optionally its ellipsis depth (zero if not explicitly specified).

If the attributes are not explicitly listed, they are inferred as the set of all pattern variables occurring in every variant of the syntax class. Pattern variables that occur at different ellipsis depths are not included, nor are nested attributes from annotated pattern variables.

---

```
#:description description-expr
```

The `description` argument is an expression (evaluated in a scope containing the syntax class's parameters) that should evaluate to a string. It is used in error messages involving the syntax class. For example, if a term is rejected by the syntax class, an error of the form "expected `description`" may be synthesized.

If absent, the name of the syntax class is used instead.

---

```
#:opaque
```

Indicates that errors should not be reported with respect to the internal structure of the syntax class.

---

```
#:literals (literal-entry)
```

---

```
#:literal-sets (literal-set ...)
```

---

```
#:conventions (convention-id ...)
```

Declares the literals and conventions that apply to the syntax class's variant patterns and their immediate `#:with` clauses. Patterns occurring within subexpressions of the syntax class (for example, on the right-hand side of a `#:fail-when` clause) are not affected.

These options have the same meaning as in `syntax-parse`.

Each variant of a syntax class is specified as a separate `pattern-form` whose syntax pattern is a single-term pattern.

---

```
(define-splicing-syntax-class name-id stxclass-option ...
  stxclass-variant ...+)
(define-splicing-syntax-class (name-id arg-id ...) stxclass-option ...
  stxclass-variant ...+)
```

Defines *name-id* as a *splicing syntax class*, analogous to a syntax class but encapsulating head patterns rather than single-term patterns.

The options are the same as for `define-syntax-class`.

Each variant of a splicing syntax class is specified as a separate `pattern-form` whose syntax pattern is a head pattern.

---

```
(pattern syntax-pattern pattern-directive ...)
```

Used to indicate a variant of a syntax class or splicing syntax class. The variant accepts syntax matching the given syntax pattern with the accompanying pattern directives.

When used within `define-syntax-class`, *syntax-pattern* should be a single-term pattern; within `define-splicing-syntax-class`, it should be a head pattern.

The attributes of the variant are the attributes of the pattern together with all attributes bound by `#:with` clauses, including nested attributes produced by syntax classes associated with the pattern variables.

### 8.2.3 Pattern directives

Both the parsing forms and syntax class definition forms support *pattern directives* for annotating syntax patterns and specifying side conditions. The grammar for pattern directives follows:

```
pattern-directive = #:declare pattern-id syntax-class-id
                    | #:declare pattern-id (syntax-class-id expr ...)
                    | #:with syntax-pattern expr
                    | #:attr attr-id expr
                    | #:fail-when condition-expr message-expr
                    | #:fail-unless condition-expr message-expr
                    | #:when condition-expr
```

---

```
#:declare pvar-id syntax-class-id
```

---

`#:declare` *pvar-id* (*syntax-class-id* *expr* ...)

The first form is equivalent to using the *pvar-id:syntax-class-id* form in the pattern (but it is illegal to use both for the same pattern variable).

The second form allows the use of parameterized syntax classes, which cannot be expressed using the “colon” notation. The *exprs* are evaluated outside the scope of any of the attribute bindings from pattern that the `#:declare` directive applies to.

---

`#:with` *syntax-pattern* *stx-expr*

Evaluates the *stx-expr* in the context of all previous attribute bindings and matches it against the pattern. If the match succeeds, the pattern’s attributes are added to environment for the evaluation of subsequent side conditions. If the `#:with` match fails, the matching process backtracks. Since a syntax object may match a pattern in several ways, backtracking may cause the same clause to be tried multiple times before the next clause is reached.

---

`#:attr` *attr-id* *expr*

Evaluates the *expr* in the context of all previous attribute bindings and binds it to the attribute named by *attr-id*. The value of *expr* need not be syntax.

---

`#:fail-when` *condition-expr* *message-expr*

Evaluates the *condition-expr* in the context of all previous attribute bindings. If the value is any true value (not `#f`), the matching process backtracks (with the given message); otherwise, it continues. If the value of the condition expression is a syntax object, it is indicated as the cause of the error.

---

`#:fail-unless` *condition-expr* *message-expr*

Like `#:fail-when` with the condition negated.

---

`#:when` *condition-expr*

Evaluates the *condition-expr* in the context of all previous attribute bindings. If the value is `#f`, the matching process backtracks. In other words, `#:when` is like `#:fail-unless` without the message argument.



## 8.2.4 Pattern variables and attributes

An *attribute* is a name bound by a syntax pattern. An attribute can be a pattern variable itself, or it can be a nested attribute bound by an annotated pattern variable. The name of a nested attribute is computed by concatenating the pattern variable name with the syntax class's exported attribute's name, separated by a dot (see the example below).

Attribute names cannot be used directly as expressions; that is, attributes are not variables. Instead, an attribute's value can be gotten using the `attribute` special form.

---

```
(attribute attr-id)
```

Returns the value associated with the attribute named *attr-id*. If *attr-id* is not bound as an attribute, an error is raised.

The value of an attribute need not be syntax. Non-syntax-valued attributes can be used to return a parsed representation of a subterm or the results of an analysis on the subterm. A non-syntax-valued attribute should be bound using the `#:attr` directive or a `~bind` pattern.

Examples:

```
> (define-syntax-class table
  (pattern ((key value) ...)
    #:attr hash
    (for/hash ([k (syntax->datum #'(key ...))]
              [v (syntax->datum #'(value ...))])
      (values k v))))
> (syntax-parse #'((a 1) (b 2) (c 3))
  [t:table
   (attribute t.hash)])
'#hash((c . 3) (b . 2) (a . 1))
```

A syntax-valued attribute is an attribute whose value is a syntax object or a syntax list of the appropriate ellipsis depth. Syntax-valued attributes can be used within `syntax`, `quasisyntax`, etc as part of a syntax template. If a non-syntax-valued attribute is used in a syntax template, a runtime error is signalled.

Examples:

```
> (syntax-parse #'((a 1) (b 2) (c 3))
  [t:table
   #'(t.key ...)])
#<syntax:6:0 (a b c)>
> (syntax-parse #'((a 1) (b 2) (c 3))
  [t:table
   #'t.hash])
t.hash: attribute is bound to non-syntax value: '#hash((c .
```

### 3) (b . 2) (a . 1) at: t.hash

Every attribute has an associated *ellipsis depth* that determines how it can be used in a syntax template (see the discussion of ellipses in `syntax`). For a pattern variable, the ellipsis depth is the number of ellipses the pattern variable “occurs under” in the pattern. For a nested attribute the depth is the sum of the pattern variable’s depth and the depth of the attribute in the syntax class. Consider the following code:

```
(define-syntax-class quark
  (pattern (a b ...)))
(syntax-parse some-term
  [(x (y:quark ...) ... z:quark)
   some-code])
```

The syntax class `quark` exports two attributes: `a` at depth 0 and `b` at depth 1. The `syntax-parse` pattern has three pattern variables: `x` at depth 0, `y` at depth 2, and `z` at depth 0. Since `x` and `y` are annotated with the `quark` syntax class, the pattern also binds the following nested attributes: `y.a` at depth 2, `y.b` at depth 3, `z.a` at depth 0, and `z.b` at depth 1.

An attribute’s ellipsis nesting depth is *not* a guarantee that its value has that level of list nesting. In particular, `~or` and `~optional` patterns may result in attributes with fewer than expected levels of list nesting.

Example:

```
> (syntax-parse #'(1 2 3)
  [(~or (x:id ...) _)
   (attribute x)])
#f
```

## 8.2.5 Inspection tools

The following special forms are for debugging syntax classes.

---

```
(syntax-class-attributes syntax-class-id)
```

Returns a list of the syntax class’s attributes. Each attribute is listed by its name and ellipsis depth.

---

```
(syntax-class-parse syntax-class-id stx-expr arg-expr ...)
```

Runs the parser for the syntax class (parameterized by the *arg-exprs*) on the syntax object produced by *stx-expr*. On success, the result is a list of vectors representing the attribute bindings of the syntax class. Each vector contains the attribute name, depth, and associated value. On failure, the result is some internal representation of the failure.

### 8.3 Syntax patterns

The grammar of *syntax patterns* used by `syntax/parse` facilities is given in the following table. There are four main kinds of syntax pattern:

- single-term patterns, abbreviated *S-pattern*
- head patterns, abbreviated *H-pattern*
- ellipsis-head patterns, abbreviated *EH-pattern*
- action patterns, abbreviated *A-pattern*

A fifth kind, list patterns (abbreviated *L-pattern*), is a just a syntactically restricted subset of single-term patterns.

When a special form in this manual refers to *syntax-pattern* (eg, the description of the `syntax-parse` special form), it means specifically single-term pattern.

```
S-pattern = pvar-id
           | pvar-id:syntax-class-id
           | literal-id
           | (~vars- id)
           | (~vars+ id syntax-class)
           | (~literal literal-id)
           | atomic-datum
           | (~datum datum)
           | (H-pattern . S-pattern)
           | (A-pattern . S-pattern)
           | (EH-pattern ... . S-pattern)
           | (H-pattern ...+ . S-pattern)
           | (~ands proper-S/A-pattern ...+)
           | (~ors S-pattern ...+)
           | (~not S-pattern)
           | #(pattern-part ...)
           | #s(prefab-struct-key pattern-part ...)
           | &S-pattern
           | (~rest S-pattern)
           | (~describes expr S-pattern)
           | A-pattern

L-pattern = ()
           | (A-pattern . L-pattern)
           | (H-pattern . L-pattern)
           | (EH-pattern ... . L-pattern)
           | (H-pattern ...+ . L-pattern)
```

```

| (~rest L-pattern)

H-pattern = pvar-id:splicing-syntax-class-id
| (~varh id splicing-syntax-class)
| (~seq . L-pattern)
| (~andh proper-H/A-pattern ...+)
| (~orh H-pattern ...+)
| (~optionalh H-pattern maybe-optional-option)
| (~describeh expr H-pattern)
| proper-S-pattern

EH-pattern = (~orch EH-pattern ...)
| (~once H-pattern once-option ...)
| (~optionalch H-pattern optional-option ...)
| (~between H min-number max-number between-option)
| H-pattern

A-pattern = ~!
| (~bind [attr-id expr] ...)
| (~fail maybe-fail-condition message-expr)
| (~parse S-pattern stx-expr)
| (~anda A-pattern ...+)

```

*proper-S-pattern* = a *S-pattern* that is not a *A-pattern*

*proper-H-pattern* = a *H-pattern* that is not a *S-pattern*

The following pattern keywords can be used in multiple pattern variants:

---

~var

One of ~var<sup>s-</sup>, ~var<sup>s+</sup>, or ~var<sup>h</sup>.

---

~and

One of ~and<sup>s</sup>, ~and<sup>h</sup>, or ~and<sup>a</sup>:

- ~and<sup>a</sup> if all of the conjuncts are action patterns
- ~and<sup>h</sup> if any of the conjuncts is a proper head pattern
- ~and<sup>s</sup> otherwise

---

~or

One of  $\sim\text{or}^s$ ,  $\sim\text{or}^h$ , or  $\sim\text{or}^{\text{eh}}$ :

- $\sim\text{or}^{\text{eh}}$  if the pattern occurs directly before ellipses ( $\dots$ ) or immediately within another  $\sim\text{or}^{\text{eh}}$  pattern
- $\sim\text{or}^h$  if any of the disjuncts is a proper head pattern
- $\sim\text{or}^s$  otherwise

---

$\sim\text{describe}$

One of  $\sim\text{describe}^s$  or  $\sim\text{describe}^h$ :

- $\sim\text{describe}^h$  if the subpattern is a proper head pattern
- $\sim\text{describe}^s$  otherwise

---

$\sim\text{optional}$

One of  $\sim\text{optional}^h$  or  $\sim\text{optional}^{\text{eh}}$ :

- $\sim\text{optional}^{\text{eh}}$  if it is an immediate disjunct of a  $\sim\text{or}^{\text{eh}}$  pattern
- $\sim\text{optional}^h$  otherwise

### 8.3.1 Single-term patterns

A *single-term pattern* (abbreviated *S-pattern*) is a pattern that describes a single term. These are like the traditional patterns used in `syntax-rules` and `syntax-case`, but with additional variants that make them more expressive.

“Single-term” does not mean “atomic”; a single-term pattern can have complex structure, and it can match terms that have many parts. For example, `(17 . . .)` is a single-term pattern that matches any term that is a proper list of repeated `17` numerals.

A *proper single-term pattern* is one that is not an action pattern.

The *list patterns* (for “list pattern”) are single-term patterns having a restricted structure that guarantees that they match only terms that are proper lists.

Here are the variants of single-term pattern:

---

`id`

An identifier can be either a pattern variable, an annotated pattern variable, or a literal:

- If `id` is the “pattern” name of an entry in the literals list, it is a literal pattern that behaves like `(~literal id)`.

Examples:

```
> (syntax-parse #'(define x 12)
  #:literals (define)
  [(define var:id body:expr) 'ok])
'ok
> (syntax-parse #'(lambda x 12)
  #:literals (define)
  [(define var:id body:expr) 'ok])
lambda: expected the literal identifier define at: lambda
> (syntax-parse #'(define x 12)
  #:literals ([def define])
  [(def var:id body:expr) 'ok])
'ok
> (syntax-parse #'(lambda x 12)
  #:literals ([def define])
  [(def var:id body:expr) 'ok])
lambda: expected the literal identifier define at: lambda
```

- If `id` is of the form `pvar-id:syntax-class-id` (that is, two names joined by a colon character), it is an annotated pattern variable, and the pattern is equivalent to `(~var pvar-id syntax-class-id)`.

Examples:

```
> (syntax-parse #'a
  [var:id (syntax-e #'var)])
'a
> (syntax-parse #'12
  [var:id (syntax-e #'var)])
?: expected identifier at: 12
> (define-syntax-class two
  #:attributes (x y)
  (pattern (x y)))
> (syntax-parse #'(a b)
  [t:two (syntax->datum #'(t t.x t.y))])
'((a b) a b)
> (syntax-parse #'(a b)
  [t
   #:declare t two
   (syntax->datum #'(t t.x t.y))])
'((a b) a b)
```

- Otherwise, *id* is a pattern variable, and the pattern is equivalent to `(~var id)`.

---

`(~var pvar-id)`

A *pattern variable*. If *pvar-id* has no syntax class (by `#:convention`), the pattern variable matches anything. The pattern variable is bound to the matched subterm, unless the pattern variable is the wildcard (`_`), in which case no binding occurs.

If *pvar-id* does have an associated syntax class, it behaves like an annotated pattern variable with the implicit syntax class inserted.

---

`(~var pvar-id syntax-class)`

`syntax-class = syntax-class-id`  
`| (syntax-class-id arg-expr ...)`

An *annotated pattern variable*. The pattern matches only terms accepted by *syntax-class-id* (parameterized by the *arg-exprs*, if present).

In addition to binding *pvar-id*, an annotated pattern variable also binds *nested attributes* from the syntax class. The names of the nested attributes are formed by prefixing *pvar-id*. (that is, *pvar-id* followed by a “dot” character) to the name of the syntax class’s attribute.

If *pvar-id* is `_`, no attributes are bound.

Examples:

```
> (syntax-parse #'a
  [(~var var id) (syntax-e #'var)])
'a
> (syntax-parse #'12
  [(~var var id) (syntax-e #'var)])
?: expected identifier at: 12
> (define-syntax-class two
  #:attributes (x y)
  (pattern (x y)))
> (syntax-parse #'(a b)
  [(~var t two) (syntax->datum #'(t t.x t.y))])
'(a b) a b
> (define-syntax-class (nat-less-than n)
  (pattern x:nat #:when (< (syntax-e #'x) n)))
> (syntax-parse #'(1 2 3 4 5)
  [((~var small (nat-less-than 4)) ... large:nat ...)
   (list #'(small ...) #'(large ...))])
'(#<syntax:16:0 (1 2 3)> #<syntax:16:0 (4 5)>)
```

---

`(~literal literal-id)`

A *literal* identifier pattern. Matches any identifier `free-identifier=?` to `literal-id`.

Examples:

```
> (syntax-parse #'(define x 12)
  [((~literal define) var:id body:expr) 'ok])
'ok
> (syntax-parse #'(lambda x 12)
  [((~literal define) var:id body:expr) 'ok])
lambda: expected the literal identifier define at: lambda
```

---

`atomic-datum`

Numbers, strings, booleans, keywords, and the empty list match as literals.

Examples:

```
> (syntax-parse #'(a #:foo bar)
  [(x #:foo y) (syntax->datum #'y)])
'bar
> (syntax-parse #'(a foo bar)
  [(x #:foo y) (syntax->datum #'y)])
a: expected the literal #:foo at: foo
```

---

`(~datum datum)`

Matches syntax whose S-expression contents (obtained by `syntax->datum`) is `equal?` to the given `datum`.

Examples:

```
> (syntax-parse #'(a #:foo bar)
  [(x (~datum #:foo) y) (syntax->datum #'y)])
'bar
> (syntax-parse #'(a foo bar)
  [(x (~datum #:foo) y) (syntax->datum #'y)])
a: expected the literal #:foo at: foo
```

The `~datum` form is useful for recognizing identifiers symbolically, in contrast to the `~literal` form, which recognizes them by binding.

Examples:

```
> (syntax-parse (let ([define 'something-
else]) #'(define x y))
  [((~datum define) var:id e:expr) 'yes]
  [_ 'no])
'yes
```



```

> (syntax-parse (let ([define 'something-
else]) #'(define x y))
  [((~literal define) var:id e:expr) 'yes]
  [_ 'no])
'no

```

---

*(H-pattern . S-pattern)*

Matches any term that can be decomposed into a list prefix matching *H-pattern* and a suffix matching *S-pattern*.

Note that the pattern may match terms that are not even improper lists; if the head pattern can match a zero-length head, then the whole pattern matches whatever the tail pattern accepts.

The first pattern can be a single-term pattern, in which case the whole pattern matches any pair whose first element matches the first pattern and whose rest matches the second.

See head patterns for more information.

---

*(A-pattern . S-pattern)*

Performs the actions specified by *A-pattern*, then matches any term that matches *S-pattern*.

Pragmatically, one can throw an action pattern into any list pattern. Thus, *(x y z)* is a pattern matching a list of three terms, and *(x y ~! z)* is a pattern matching a list of three terms, with a cut performed after the second one. In other words, action patterns “don’t take up space.”

See action patterns for more information.

---

*(EH-pattern ... . S-pattern)*

Matches any term that can be decomposed into a list head matching some number of repetitions of the *EH-pattern* alternatives (subject to its repetition constraints) followed by a list tail matching *S-pattern*.

In other words, the whole pattern matches either the second pattern (which need not be a list) or a term whose head matches one of the alternatives of the first pattern and whose tail recursively matches the whole sequence pattern.

See ellipsis-head patterns for more information.

---

*(H-pattern ...+ . S-pattern)*

Like an ellipsis (*. . .*) pattern, but requires at one occurrence of the head pattern to be present.

That is, the following patterns are equivalent:

- `(H ...+ . S)`
- `((~between H 1 +inf.0) ... . S)`

Examples:

```
> (syntax-parse #'(1 2 3))
  [(n:nat ...+) 'ok]
'ok
> (syntax-parse #'())
  [(n:nat ...+) 'ok]
  [_ 'none]]
'none
```

---

#### `(~and S/A-pattern ...)`

Matches any term that matches all of the subpatterns.

The subpatterns can contain a mixture of single-term patterns and action patterns, but must contain at least one single-term pattern.

Attributes bound in subpatterns are available to subsequent subpatterns. The whole pattern binds all of the subpatterns' attributes.

One use for `~and`-patterns is preserving a whole term (including its lexical context, source location, etc) while also examining its structure. Syntax classes are useful for the same purpose, but `~and` can be lighter weight.

Examples:

```
> (define-syntax (import stx)
  (raise-syntax-error #f "illegal use of import" stx))
> (define (check-imports stx) ...)
> (syntax-parse #'(m (import one two))
  #:literals (import)
  [(_ (~and import-clause (import i ...)))
   (let ([bad (check-imports
                (syntax->list #'(i ...)))]
         (when bad
          (raise-syntax-error
           #f "bad import" #'import-clause bad))
         'ok)])]
'ok
```

---

#### `(~or S-pattern ...)`

Matches any term that matches one of the included patterns. The alternatives are tried in order.

The whole pattern binds *all* of the subpatterns' attributes. An attribute that is not bound by the "chosen" subpattern has a value of `#f`. The same attribute may be bound by multiple subpatterns, and if it is bound by all of the subpatterns, it is sure to have a value if the whole pattern matches.

Examples:

```
> (syntax-parse #'a
    [(~or x:id (~and x #f)) (syntax->datum #'x)])
'a
> (syntax-parse #'#f
    [(~or x:id (~and x #f)) (syntax->datum #'x)])
#f
```

`(~not S-pattern)`

Matches any term that does not match the subpattern. None of the subpattern's attributes are bound outside of the `~not`-pattern.

Example:

```
> (syntax-parse #'(x y z => u v)
    #:literals (=>)
    [((~and before (~not =>)) ... => after ...)
     (list #'(before ...) #'(after ...))])
'(<#<syntax:32:0 (x y z)> #<syntax:32:0 (u v)>)
```

`#(pattern-part ...)`

Matches a term that is a vector whose elements, when considered as a list, match the single-term pattern corresponding to `(pattern-part ...)`.

Examples:

```
> (syntax-parse #'#(1 2 3)
    [#(x y z) (syntax->datum #'z)])
3
> (syntax-parse #'#(1 2 3)
    [#(x y ...) (syntax->datum #'(y ...))])
'(2 3)
> (syntax-parse #'#(1 2 3)
    [#(x ~rest y) (syntax->datum #'y)])
'(2 3)
```

`#s(prefab-struct-key pattern-part ...)`

Matches a term that is a prefab struct whose key is exactly the given key and whose sequence of fields, when considered as a list, match the single-term pattern corresponding to `(pattern-part ...)`.

Examples:

```
> (syntax-parse #'#s(point 1 2 3)
   [#s(point x y z) 'ok])
'ok
> (syntax-parse #'#s(point 1 2 3)
   [#s(point x y ...) (syntax->datum #'(y ...))])
'(2 3)
> (syntax-parse #'#s(point 1 2 3)
   [#s(point x ~rest y) (syntax->datum #'y)])
'(2 3)
```

---

### `#&S-pattern`

Matches a term that is a box whose contents matches the inner single-term pattern.

Example:

```
> (syntax-parse #'#&5
   [#&n:nat 'ok])
'ok
```

---

### `(~rest S-pattern)`

Matches just like `S-pattern`. The `~rest` pattern form is useful in positions where improper (“dotted”) lists are not allowed by the reader, such as vector and structure patterns (see above).

Examples:

```
> (syntax-parse #'(1 2 3)
   [(x ~rest y) (syntax->datum #'y)])
'(2 3)
> (syntax-parse #'#(1 2 3)
   [#(x ~rest y) (syntax->datum #'y)])
'(2 3)
```

---

### `(~describe expr S-pattern)`

The `~describe` pattern form annotates a pattern with a description, a string expression that is evaluated in the scope of all prior attribute bindings. If parsing the inner pattern fails, then the description is used to synthesize the error message.

A describe-pattern also affects backtracking in two ways:

- A cut (`~!`) within a describe-pattern only eliminates choice-points created within the describe-pattern.

- If a describe-pattern succeeds, then all choice points created within the describe-pattern are discarded, and a failure *after* the describe-pattern backtracks to a choice point *before* the describe-pattern, never one *within* it.

---

### *A-pattern*

An action pattern is considered a single-term pattern when there is no ambiguity; it matches any term.

### 8.3.2 Head patterns

A *head pattern* (abbreviated *H-pattern*) is a pattern that describes some number of terms that occur at the head of some list (possibly an improper list). A head pattern's usefulness comes from being able to match heads of different lengths, such as optional forms like keyword arguments.

A *proper head pattern* is a head pattern that is not a single-term pattern.

Here are the variants of head pattern:

---

`pvar-id:splicing-syntax-class-id`

Equivalent to `(~var pvar-id splicing-syntax-class-id)`.

---

`(~var pvar-id splicing-syntax-class)`

`splicing-syntax-class = splicing-syntax-class-id  
| (splicing-syntax-class-id arg-expr ...)`

Pattern variable annotated with a splicing syntax class. Similar to a normal annotated pattern variable, except matches a head pattern.

---

`(~seq . L-pattern)`

Matches a head whose elements, if put in a list, would match *L-pattern*.

Example:

```
> (syntax-parse #'(1 2 3 4)
  [((~seq 1 2 3) 4) 'ok])
'ok
```

See also the section on ellipsis-head patterns for more interesting examples of `~seq`.

---

(~and *H-pattern* ...)

Like the single-term pattern version of ~and, but matches a term head instead.

Example:

```
> (syntax-parse #'(#:a 1 #:b 2 3 4 5)
  [((~and (~seq (~seq k:keyword e:expr) ...)
           (~seq keyword-stuff ...))
     positional-stuff ...)
    (syntax->datum #'((k ...) (e ...) (keyword-
stuff ...))))])
'((#:a #:b) (1 2) ( #:a 1 #:b 2))
```

The head pattern variant of ~and requires that all of the subpatterns be proper head patterns (not single-term patterns). This is to prevent typos like the following, a variant of the previous example with the second ~seq omitted:

Examples:

```
> (syntax-parse #'(#:a 1 #:b 2 3 4 5)
  [((~and (~seq (~seq k:keyword e:expr) ...)
           (keyword-stuff ...))
     positional-stuff ...)
    (syntax->datum #'((k ...) (e ...) (keyword-
stuff ...))))])
```

*syntax-parse: single-term pattern not allowed after head  
pattern at: (keyword-stuff...)*

; If the example above were allowed, it would be equivalent to this:

```
> (syntax-parse #'(#:a 1 #:b 2 3 4 5)
  [((~and (~seq (~seq k:keyword e:expr) ...)
           (~seq (keyword-stuff ...)))
     positional-stuff ...)
    (syntax->datum #'((k ...) (e ...) (keyword-
stuff ...))))])
```

*?: expected keyword at: 3*

---

(~or *H-pattern* ...)

Like the single-term pattern version of ~or, but matches a term head instead.

Examples:

```
> (syntax-parse #'(m #:foo 2 a b c)
  [(_ (~or (~seq #:foo x) (~seq)) y:id ...)
   (attribute x)])
#<syntax:46:0 2>
> (syntax-parse #'(m a b c)
  [(_ (~or (~seq #:foo x) (~seq)) y:id ...)])
```

```
(attribute x]])
#f
```

---

```
(~optional H-pattern maybe-optional-option)
```

```
maybe-optional-option =
  | #:defaults ([attr-id expr] ...)
```

Matches either the given head subpattern or an empty head. If the `#:defaults` option is given, the subsequent attribute bindings are used if the subpattern does not match. The default attributes must be a subset of the subpattern's attributes.

Examples:

```
> (syntax-parse #'(m #:foo 2 a b c)
  [(_ (~optional (~seq #:foo x) #:defaults ([x #'#f])) y:id ...)
   (attribute x)])
#<syntax:48:0 2>
> (syntax-parse #'(m a b c)
  [(_ (~optional (~seq #:foo x) #:defaults ([x #'#f])) y:id ...)
   (attribute x)])
#<syntax:49:0 #f>
> (syntax-parse #'(m a b c)
  [(_ (~optional (~seq #:foo x)) y:id ...)
   (attribute x)])
#f
```

---

```
(~describe expr H-pattern)
```

Like the single-term pattern version of `~describe`, but matches a head pattern instead.

---

```
S-pattern
```

Matches a head of one element, which must be a term matching *S-pattern*.

### 8.3.3 Ellipsis-head patterns

An *ellipsis-head pattern* (abbreviated *EH-pattern*) is pattern that describes some number of terms, like a head pattern, but may also place constraints on the number of times it occurs in a repetition. They are useful for matching keyword arguments where the keywords may come in any order. Multiple alternatives can be grouped together via `~oreh`.

Examples:

```

> (define parser1
  (syntax-parser
    [((~or (~once (~seq #:a x) #:name "#:a keyword")
              (~optional (~seq #:b y) #:name "#:b keyword")
              (~seq #:c z)) ...)
      'ok]))
> (parser1 #'( #:a 1))
'ok
> (parser1 #'( #:b 2 #:c 3 #:c 25 #:a 'hi))
'ok
> (parser1 #'( #:a 1 #:a 2))
?: too many occurrences of #:a keyword after 4 terms at:
( #:a 1 #:a 2)

```

The pattern requires exactly one occurrence of the `#:a` keyword and argument, at most one occurrence of the `#:b` keyword and argument, and any number of `#:c` keywords and arguments. The “pieces” can occur in any order.

Here are the variants of ellipsis-head pattern:

---

```
(~or EH-pattern ...)
```

Matches if any of the inner *EH-pattern* alternatives match.

---

```
(~once H-pattern once-option ...)
```

```

once-option = #:name name-expr
              | #:too-few too-few-message-expr
              | #:too-many too-many-message-expr

```

Matches if the inner *H-pattern* matches. This pattern must be selected exactly once in the match of the entire repetition sequence.

If the pattern is not chosen in the repetition sequence, then an error is raised with the message either *too-few-message-expr* or "missing required occurrence of *name-expr*".

If the pattern is chosen more than once in the repetition sequence, then an error is raised with the message either *too-many-message-expr* or "too many occurrences of *name-expr*".

---

```
(~optional H-pattern optional-option ...)
```

```

optional-option = #:name name-expr
                  | #:too-many too-many-message-expr
                  | #:defaults ([attr-id expr] ...)

```



Matches if the inner *H-pattern* matches. This pattern may be used at most once in the match of the entire repetition.

If the pattern is chosen more than once in the repetition sequence, then an error is raised with the message either *too-many-message-expr* or "too many occurrences of *name-expr*".

If the `#:defaults` option is given, the following attribute bindings are used if the subpattern does not match at all in the sequence. The default attributes must be a subset of the subpattern's attributes.

---

```
(~between H-pattern min-number max-number between-option ...)
```

```
reps-option = #:name name-expr  
              | #:too-few too-few-message-expr  
              | #:too-many too-many-message-expr
```

Matches if the inner *H-pattern* matches. This pattern must be selected at least *min-number* and at most *max-number* times in the entire repetition.

If the pattern is chosen too few times, then an error is raised with a message, either *too-few-message-expr* or "too few occurrences of *name-expr*".

If the pattern is chosen too many times, then an error is raised with the message either *too-many-message-expr* or "too many occurrences of *name-expr*".

### 8.3.4 Action patterns

An *action pattern* (abbreviated *A-pattern*) does not describe any syntax; rather, it has an effect such as the binding of attributes or the modification of the matching process.

The grammar describing where an action pattern may occur may look complicated, but the essence is this: "action patterns don't take up space." They can be freely added to a list pattern or inserted into an `~and` pattern.

---

`~!`

The *cut* operator, written `~!`, eliminates backtracking choice points and commits parsing to the current branch of the pattern it is exploring.

Common opportunities for cut-patterns come from recognizing special forms based on keywords. Consider the following expression:

```
> (syntax-parse #'(define-values a 123)  
   #:literals (define-values define-syntaxes))
```

```

      [(define-values (x:id ...) e) 'define-values]
      [(define-syntaxes (x:id ...) e) 'define-syntaxes]
      [e 'expression])
'expression

```

Given the ill-formed term `(define-values a 123)`, the expression tries the first clause, fails to match `a` against the pattern `(x:id ...)`, and then backtracks to the second clause and ultimately the third clause, producing the value `'expression`. But the term is not an expression; it is an ill-formed use of `define-values`! The proper way to write the `syntax-parse` expression follows:

```

> (syntax-parse #'(define-values a 123)
  #:literals (define-values define-syntaxes)
  [(define-values ~! (x:id ...) e) 'define-values]
  [(define-syntaxes ~! (x:id ...) e) 'define-syntaxes]
  [e 'expression])

```

*define-values: bad syntax at: (define-values a 123)*

Now, given the same term, `syntax-parse` tries the first clause, and since the keyword `define-values` matches, the cut-pattern commits to the current pattern, eliminating the choice points for the second and third clauses. So when the clause fails to match, the `syntax-parse` expression raises an error.

The effect of a `~!` pattern is delimited by the nearest enclosing `~describe` pattern. If there is no enclosing `~describe` pattern but the cut occurs within a syntax class definition, then only choice points within the syntax class definition are discarded.

```
(~bind [attr-id expr] ...)
```

Evaluates the `exprs` and binds them to the given `attr-ids` as attributes.

```
(~fail maybe-fail-condition message-expr)
```

```

maybe-fail-condition =
  | #:when condition-expr
  | #:unless condition-expr

```

If the condition is absent, or if the `#:when` condition evaluates to a true value, or if the `#:unless` condition evaluates to `#f`, then the pattern fails with the given message.

Fail patterns can be used together with cut patterns to recognize specific ill-formed terms and address them with specially-created failure messages.

```
(~parse S-pattern stx-expr)
```

`stx-expr` : `syntax?`

Evaluates `stx-expr` to a syntax object and matches it against `S-pattern`.

---

`(~and A-pattern ...)`

Performs the actions of each `A-pattern`.

## 8.4 Literal sets and Conventions

Sometimes the same literals are recognized in a number of different places. The most common example is the literals for fully expanded programs, which are used in many analysis and transformation tools. Specifying literals individually is burdensome and error-prone. As a remedy, `syntax/parse` offers *literal sets*. A literal set is defined via `define-literal-set` and used via the `#:literal-set` option of `syntax-parse`.

---

```
(define-literal-set name-id (literal ...))
```

```
literal = literal-id  
         | (pattern-id literal-id)
```

Defines `name` as a literal set. Each `literal` can have a separate `pattern-id` and `literal-id`. The `pattern-id` determines what identifiers in the pattern are treated as literals. The `literal-id` determines what identifiers the literal matches.

Examples:

```
> (define-literal-set def-litset  
   (define-values define-syntaxes))  
> (syntax-parse #'(define-syntaxes (x) 12)  
   #:literal-sets (def-litset)  
   [(define-values (x:id ...) e:expr) 'v]  
   [(define-syntaxes (x:id ...) e:expr) 's]  
   's
```

The literals in a literal set always refer to the phase-0 bindings of the enclosing module. For example:

Examples:

```
> (module common racket/base  
   (define x 'something)  
   (provide x))  
> (module lits racket/base  
   (require syntax/parse 'common))
```

```
(define-literal-set common-lits (x))
(provide common-lits))
```

In the literal set `common-lits`, the literal `x` always recognizes identifiers bound to the variable `x` defined in module `'common`.

When a literal set is used with the `#:phase phase-expr` option, the literals' fixed bindings are compared against the binding of the input literal at the specified phase. Continuing the example:

Examples:

```
> (require syntax/parse 'lits (for-syntax 'common))
> (syntax-parse #'x #:literal-sets ([common-lits #:phase 1])
    [x 'yes]
    [_ 'no])
'yes
```

The occurrence of `x` in the pattern matches any identifier whose binding at phase 1 is the `x` from module `'common`.

---

```
(define-conventions name-id convention-rule ...)
```

```
convention-rule = (name-pattern syntax-class)
```

```
name-pattern = exact-id
              | name-rx
```

```
syntax-class = syntax-class-id
              | (syntax-class-id expr ...)
```

Defines *conventions* that supply default syntax classes for pattern variables. A pattern variable that has no explicit syntax class is checked against each `id-pattern`, and the first one that matches determines the syntax class for the pattern. If no `id-pattern` matches, then the pattern variable has no syntax class.

Examples:

```
> (define-conventions xyz-as-ids
    [x id] [y id] [z id])
> (syntax-parse #'(a b c 1 2 3)
    #:conventions (xyz-as-ids)
    [(x ... n ...) (syntax->datum #'(x ...))])
'(a b c)
> (define-conventions xn-prefixes
    [#rx"^x" id]
    [#rx"^n" nat])
> (syntax-parse #'(a b c 1 2 3)
```

```

#:conventions (xn-prefixes)
[(x0 x ... n0 n ...)
 (syntax->datum #'(x0 (x ...) n0 (n ...)))]
'(a (b c) 1 (2 3))

```

Local conventions, introduced with the `#:local-conventions` keyword argument of `syntax-parse` and `syntax` class definitions, may refer to local bindings:

Examples:

```

> (define-syntax-class (nat> bound)
  (pattern n:nat
    #:fail-unless (> (syntax-e #'n) bound)
                 (format "expected number > ~s" bound)))
> (define-syntax-class (natlist> bound)
  #:local-conventions ([N (nat> bound)])
  (pattern (N ...)))
> (define (parse-natlist> bound x)
  (syntax-parse x
    #:local-conventions ([NS (natlist> bound)])
    [NS 'ok]))
> (parse-natlist> 0 #'(1 2 3))
'ok
> (parse-natlist> 5 #'(8 6 4 2))
?: expected number > 5 at: 4

```

## 8.5 Library syntax classes and literal sets

### 8.5.1 Syntax classes

---

`expr`

Matches anything except a keyword literal (to distinguish expressions from the start of a keyword argument sequence). The term is not otherwise inspected, and no guarantee is made that the term is actually a valid expression.

---

`identifier`

`boolean`

`str`

`char`

`keyword`

`number`

`integer`

exact-integer  
exact-nonnegative-integer  
exact-positive-integer

Match syntax satisfying the corresponding predicates.

---

id

Alias for identifier.

---

nat

Alias for exact-nonnegative-integer.

---

(static *predicate description*)

Matches an identifier that is bound in the syntactic environment to static information (see [syntax-local-value](#)) satisfying the given *predicate*. If the term does not match, the *description* argument is used to describe the expected syntax.

When used outside of the dynamic extent of a macro transformer (see [syntax-transforming?](#)), matching fails.

The attribute *value* contains the value the name is bound to.

---

(atom-in-list *atoms description*)

Matches a syntax object whose inner datum is [eqv?](#) to some atom in the given list.

Use `atom-in-list` instead of a literals list when recognizing identifier based on their symbolic names rather than their bindings.

## 8.5.2 Literal sets

---

kernel-literals

Literal set containing the identifiers for fully-expanded code (§1.2.3.1 “Fully Expanded Programs”). The set contains all of the forms listed by [kernel-form-identifier-list](#), plus `module`, `#:plain-module-begin`, `#:require`, and `#:provide`.

Note that the literal-set uses the names `#:plain-lambda` and `#:plain-app`, not `lambda` and `#:app`.

## Index

- #%module-begin, 35
- ...+, 65
- action pattern*, 73
- Action patterns, 73
- annotated pattern variable*, 63
- atom-in-list, 78
- Attaching Documentation to Exports, 45
- attribute, 57
- attribute*, 57
- boolean, 77
- bound-id-table-count, 12
- bound-id-table-for-each, 12
- bound-id-table-map, 12
- bound-id-table-ref, 11
- bound-id-table-remove, 11
- bound-id-table-remove!, 11
- bound-id-table-set, 11
- bound-id-table-set!, 11
- bound-id-table?, 10
- bound-identifier-mapping-for-each, 8
- bound-identifier-mapping-get, 7
- bound-identifier-mapping-map, 8
- bound-identifier-mapping-put!, 8
- bound-identifier-mapping?, 7
- build-expand-context, 26
- build-struct-expand-info, 29
- build-struct-generation, 28
- build-struct-generation\*, 29
- build-struct-names, 28
- char, 77
- check-expression, 19
- check-identifier, 19
- check-module-form, 21
- check-procedure*, 14
- check-stx-boolean, 19
- check-stx-listof, 19
- check-stx-string, 19
- Classifying syntax, 53
- collapse-module-path, 24
- collapse-module-path-index, 24
- Computing the Free Variables of an Expression, 13
- Controlling Syntax Templates, 31
- conventions*, 76
- cut*, 73
- Deconstructing Syntax Objects, 5
- define-conventions, 76
- define-literal-set, 75
- define-splicing-syntax-class, 55
- define-syntax-class, 53
- Dictionaries for `bound-identifier=?`, 10
- Dictionaries for `free-identifier=?`, 12
- ellipsis depth*, 58
- ellipsis-head pattern*, 71
- Ellipsis-head patterns, 71
- eval-compile-time-part-of-top-level, 42
- eval-compile-time-part-of-top-level/compile, 42
- exact-integer, 78
- exact-nonnegative-integer, 78
- exact-positive-integer, 78
- exn:get-module-code, 23
- exn:get-module-code-path, 23
- exn:get-module-code?, 23
- expand-syntax-top-level-with-compile-time-evals, 42
- expand-syntax-top-level-with-compile-time-evals/flatten, 42
- expand-top-level-with-compile-time-evals, 42
- Expanding define-struct-like Forms, 27
- expr, 77
- Extracting Inferred Names, 26
- flatten-begin, 27
- Flattening begin Forms, 27
- free-id-table-count, 13
- free-id-table-for-each, 13
- free-id-table-map, 13
- free-id-table-ref, 12
- free-id-table-remove, 13
- free-id-table-remove!, 13

- [free-id-table-set](#), 13
- [free-id-table-set!](#), 13
- [free-id-table?](#), 12
- [free-identifier-mapping-for-each](#), 9
- [free-identifier-mapping-get](#), 8
- [free-identifier-mapping-map](#), 9
- [free-identifier-mapping-put!](#), 9
- [free-identifier-mapping?](#), 8
- [free-vars](#), 14
- [generate-expand-context](#), 26
- [generate-struct-declaration](#), 30
- [get-module-code](#), 22
- Getting Module Compiled Code, 21
- Hashing on [bound-identifier=?](#) and [free-identifier=?](#), 7
- head pattern*, 69
- Head patterns, 69
- Helpers for Processing Keyword Syntax, 14
- id, 78
- identifier, 77
- Identifier dictionaries, 10
- [immutable-bound-id-table?](#), 11
- [immutable-free-id-table?](#), 12
- incompatibility*, 16
- Inspecting Modules and Module Dependencies, 25
- Inspection tools, 58
- integer, 77
- [kernel-form-identifier-list](#), 7
- kernel-literals, 78
- kernel-syntax-case, 6
- kernel-syntax-case\*, 6
- kernel-syntax-case\*/phase, 6
- kernel-syntax-case/phase, 6
- keyword, 77
- keyword-table*, 14
- Legacy Zodiac Interface, 19
- Library syntax classes and literal sets, 77
- list patterns*, 61
- literal*, 64
- Literal sets, 78
- literal sets*, 75
- Literal sets and Conventions, 75
- [lookup-documentation](#), 45
- Macro Transformer Helpers, 26
- [make-bound-id-table](#), 10
- [make-bound-identifier-mapping](#), 7
- [make-exn:get-module-code](#), 23
- [make-free-id-table](#), 12
- [make-free-identifier-mapping](#), 8
- [make-immutable-bound-id-table](#), 10
- [make-immutable-free-id-table](#), 12
- [make-meta-reader](#), 40
- [make-module-identifier-mapping](#), 9
- Matching Fully-Expanded Expressions, 6
- [moddep-current-open-input-file](#), 23
- Module Reader, 35
- [module-identifier-mapping-for-each](#), 10
- [module-identifier-mapping-get](#), 9
- [module-identifier-mapping-map](#), 10
- [module-identifier-mapping-put!](#), 9
- [module-identifier-mapping?](#), 9
- [module-or-top-identifier=?](#), 5
- Module-Processing Helpers, 21
- [mutable-bound-id-table?](#), 11
- [mutable-free-id-table?](#), 12
- nat, 78
- nested attributes*, 63
- Non-Module Compilation And Expansion, 42
- [normalize-definition](#), 26
- number, 77
- options*, 15
- [options-select](#), 18
- [options-select-row](#), 18
- [options-select-value](#), 18
- [parse-define-struct](#), 27
- [parse-keyword-options](#), 15
- [parse-keyword-options/eol](#), 17
- Parsing and classifying syntax, 50
- Parsing and classifying syntax, 47
- Parsing define-like Forms, 26
- Parsing syntax, 51



- pattern, 55
- Pattern directives, 55
- pattern directives*, 55
- pattern variable*, 63
- Pattern variables and attributes, 57
- proper head pattern*, 69
- proper single-term pattern*, 61
- provide-and-document, 45
- Quick Start, 47
- [raise-read-eof-error](#), 34
- [raise-read-error](#), 34
- Raising `exn:fail:read`, 34
- Reader Helpers, 34
- Reading Module Source Code, 21
- Rendering Syntax Objects with Formatting, 13
- [replace-context](#), 14
- Replacing Lexical Context, 14
- [resolve-module-path](#), 23
- [resolve-module-path-index](#), 24
- [resolve-path-spec](#), 31
- Resolving include-like Paths, 31
- Resolving Module Paths to File Paths, 23
- [show-import-tree](#), 25
- Simplifying Module Paths, 24
- single-term pattern*, 61
- Single-term patterns, 61
- splicing syntax class*, 55
- static, 78
- str, 77
- [strip-context](#), 14
- [struct-declaration-info?](#), 30
- [struct:exn:get-module-code](#), 23
- [stx->list](#), 5
- [stx-car](#), 5
- [stx-cdr](#), 5
- [stx-list?](#), 5
- [stx-null?](#), 5
- [stx-pair?](#), 5
- Support for [local-expand](#), 26
- syntax class*, 53
- Syntax classes, 77
- Syntax Object Helpers, 5
- Syntax patterns, 59
- syntax patterns*, 59
- [syntax->string](#), 13
- [syntax-class-attributes](#), 58
- [syntax-class-parse](#), 58
- [syntax-local-infer-name](#), 26
- [syntax-parse](#), 51
- [syntax-parser](#), 53
- [syntax/boundmap](#), 7
- [syntax/context](#), 26
- [syntax/define](#), 26
- [syntax/docprovide](#), 45
- [syntax/flatten-begin](#), 27
- [syntax/free-vars](#), 13
- [syntax/id-table](#), 10
- [syntax/kerncase](#), 6
- [syntax/keyword](#), 14
- [syntax/modcode](#), 21
- [syntax/modcollapse](#), 24
- [syntax/moddep](#), 25
- [syntax/modread](#), 21
- [syntax/modresolve](#), 23
- [syntax/module-reader](#), 35
- [syntax/name](#), 26
- [syntax/parse](#), 47
- [syntax/path-spec](#), 31
- [syntax/readerr](#), 34
- [syntax/strip-context](#), 14
- [syntax/struct](#), 27
- [syntax/stx](#), 5
- [syntax/template](#), 31
- [syntax/to-string](#), 13
- [syntax/toplevel](#), 42
- [syntax/trusted-xforms](#), 44
- [syntax/zodiac](#), 19
- [syntax/zodiac-sig](#), 19
- [syntax/zodiac-unit](#), 19
- Syntax**: Meta-Programming Helpers, 1
- [transform-template](#), 32
- Trusting Standard Recertifying Transformers, 44

`with-module-reading-  
parameterization`, 21  
`wrap-read-all`, 41  
`~!`, 73  
`~and`, 60  
`~between`, 73  
`~bind`, 74  
`~datum`, 64  
`~describe`, 61  
`~fail`, 74  
`~literal`, 64  
`~not`, 67  
`~once`, 72  
`~optional`, 61  
`~or`, 60  
`~parse`, 74  
`~rest`, 68  
`~seq`, 69  
`~var`, 60