

Syntax Color: Utilities

Version 5.3.5

Scott Owens

June 18, 2013

The "syntax-color" collection provides the underlying data structures and some helpful utilities for the `color:text<%>` class of the *Framework: Racket GUI Application Framework*.

1 Parenthesis Matching

```
(require syntax-color/paren-tree)
```

```
paren-tree% : class?  
  superclass: object%
```

Parenthesis matching code built on top of `token-tree%`.

2 Lexer Contract & the Don't Stop struct

```
(require syntax-color/lexer-contract)
```

```
| lexer/c : contract?
```

Checks to be sure a lexing function is well-behaved. For more details, see [start-colorer](#) in `color:text<%>`.

```
| (struct dont-stop (val)
  #:extra-constructor-name make-dont-stop)
  val : any/c
```

A struct used to indicate to the lexer that it should not allow itself to be interrupted. For more details, see [start-colorer](#) in `color:text<%>`.

3 Racket Lexer

```
(require syntax-color/racket-lexer)

( racket-lexer in ) → (or/c string? eof-object?)
                    symbol?
                    (or/c symbol? #f)
                    (or/c number? #f)
                    (or/c number? #f)

in : input-port?
```

A lexer for Racket, including reader extensions (§12.7 “Reader Extension”), built specifically for `color:text<%>`.

The `racket-lexer` function returns 5 values:

- Either a string containing the matching text or the eof object. Block comments and specials currently return an empty string. This may change in the future to other string or non-string data.
- A symbol in `'(error comment sexp-comment white-space constant string no-color parenthesis hash-colon-keyword symbol eof other)`.
- A symbol in `'(|(| |)| |[|]| |{| }|)` or `#f`.
- A number representing the starting position of the match (or `#f` if eof).
- A number representing the ending position of the match (or `#f` if eof).

```
( racket-lexer/status in ) → (or/c string? eof-object?)
                           symbol?
                           (or/c symbol? #f)
                           (or/c number? #f)
                           (or/c number? #f)
                           (or/c 'datum 'open 'close 'continue)

in : input-port?
```

Like `racket-lexer`, but returns an extra value. The last return value indicates whether the consumed token should count as a datum, an opening parenthesis (or similar starting token to group other tokens), a closing parenthesis (or similar), or a prefix (such as whitespace) on a datum.

```
( racket-nobar-lexer/status in )
```

```
(or/c string? eof-object?)
symbol?
→ (or/c symbol? #f)
   (or/c number? #f)
   (or/c number? #f)
   (or/c 'datum 'open 'close 'continue)
in : input-port?
```

Like [racket-lexer/status](#), except it treats `|` as a delimiter instead of quoting syntax for a symbol. This function is used by [scribble-lexer](#).

4 Default lexer

```
(require syntax-color/default-lexer)

                                        (or/c string? eof-object?)
                                        symbol?
(default-lexer in) → (or/c symbol? #f)
                                        (or/c number? #f)
                                        (or/c number? #f)
in : input-port?
```

A lexer that only identifies `(`, `)`, `[`, `]`, `{`, and `}` built specifically for `color:text<%>`.

`default-lexer` returns 5 values:

- Either a string containing the matching text or the eof object. Block specials currently return an empty string. This may change in the future to other string or non-string data.
- A symbol in `'(comment white-space no-color eof)`.
- A symbol in `'(|(| |)| |[|]| |{| }|)` or `#f`.
- A number representing the starting position of the match (or `#f` if eof).
- A number representing the ending position of the match (or `#f` if eof).

5 Module Lexer

```
(require syntax-color/module-lexer)

(module-lexer in offset mode)
  (or/c string? eof-object?)
  symbol?
  (or/c symbol? #f)
  (or/c number? #f)
→ (or/c number? #f)
  exact-nonnegative-integer?
  (or/c #f
    (-> input-port? any)
    (cons/c (-> input-port? any/c any) any/c))
in : input-port?
offset : exact-nonnegative-integer?
      (or/c #f)
mode : (-> input-port? any)
      (cons/c (-> input-port? any/c any) any/c))
```

Like `racket-lexer`, but with several differences:

- The `module-lexer` function accepts an offset and lexer mode, instead of just an input port.
- In addition to the results of `racket-lexer`, `module-lexer` returns a backup distance and a new lexer mode.
- When `mode` is `#f` (indicating the start of the stream), the lexer checks `in` for a `#lang` specification.
If a `#lang` line is present but the specified language does not exist, the entire `in` input is consumed and colored as `'error`.
If the language exists and the language provides a `get-info` function, then it is called with `'color-lexer`. If the result is not `#f`, then it should be a lexer function for use with `color:text<%>`. The result mode is the lexer—paired with `#f` if the lexer is a procedure arity 3—so that future calls will dispatch to the language-supplied lexer.
If the language is specified but it provides no `get-info` or `'color-lexer` result, then `racket-lexer` is returned as the mode.
- When `mode` is a lexer procedure, the lexer is applied to `in`. The lexer's results are returned, plus the lexer again as the mode.
- When `mode` is a pair, then the lexer procedure in the `car` is applied to `in`, `offset`, and the mode in the `cdr`. The lexer's results are returned, except that its mode result is paired back with the lexer procedure.

6 Scribble Lexer

```
(require syntax-color/scribble-lexer)

(scribble-lexer in offset mode) → (or/c string? eof-object?)
                                   symbol?
                                   (or/c symbol? #f)
                                   (or/c number? #f)
                                   (or/c number? #f)
                                   exact-nonnegative-integer?
                                   any/c

in : input-port?
offset : exact-nonnegative-integer?
mode : any/c
```

Like `racket-lexer`, but for Racket extended with Scribble’s `@` notation (see §2 “@ Syntax”).

```
(scribble-inside-lexer in offset mode)
  (or/c string? eof-object?)
  symbol?
  (or/c symbol? #f)
→ (or/c number? #f)
   (or/c number? #f)
   exact-nonnegative-integer?
   any/c

in : input-port?
offset : exact-nonnegative-integer?
mode : any/c
```

Like `scribble-lexer`, but starting in “text” mode instead of Racket mode.

7 Splay Tree for Tokenization

```
(require syntax-color/token-tree)
```

```
token-tree% : class?  
  superclass: object%
```

A splay-tree class specifically geared for the task of on-the-fly tokenization. Instead of keying nodes on values, each node has a length, and they are found by finding a node that follows a certain total length of preceding nodes.

FIXME: many methods are not yet documented.

```
(new token-tree% [len len] [data data])  
→ (is-a?/c token-tree%)  
  len : (or/c exact-nonnegative-integer? false/c)  
  data : any/c
```

Creates a token tree with a single element.

```
(send a-token-tree get-root) → (or/c node? #f)
```

Returns the root node in the tree.

```
(send a-token-tree search! key-position) → void?  
  key-position : natural-number/c
```

Splays, setting the root node to be the closest node to offset *key-position* (i.e., making the total length of the left tree at least *key-position*, if possible).

```
(node? v) → boolean?  
  v : any/c  
(node-token-length n) → natural-number/c  
  n : node?  
(node-token-data n) → any/c  
  n : node?  
(node-left-subtree-length n) → natural-number/c  
  n : node?  
(node-left n) → (or/c node? #f)  
  n : node?  
(node-right n) → (or/c node? #f)  
  n : node?
```

Functions for working with nodes in a `token-tree%`.

```
(insert-first! tree1 tree2) → void?  
tree1 : (is-a?/c token-tree%)  
tree2 : (is-a?/c token-tree%)
```

Inserts *tree1* into *tree2* as the first thing, setting *tree2*'s root to #f.

```
(insert-last! tree1 tree2) → void?  
tree1 : (is-a?/c token-tree%)  
tree2 : (is-a?/c token-tree%)
```

Inserts *tree1* into *tree2* as the last thing, setting *tree2*'s root to #f.

```
(insert-last-spec! tree n v) → void?  
tree : (is-a?/c token-tree%)  
n : natural-number/c  
v : any/c
```

Same as

```
(insert-last! tree  
  (new token-tree%  
    [length n]  
    [data v]))
```

This optimization is important for the colorer.